



BRAß & COPPER Topeß / PATILA




Size	Thickness Pot (mm)	Thickness Lid (mm)	Inner Dia (inches)	Outer Dia (inches)	Height (inches)	Water Cap. (Liters)	Weight Pot (Kg.)	Weight Lid (Kg.)	Total Wt. (Kg.)
14	1.22	0.91	7.50	8.25	5.00	3.300	0.900	0.350	1.250
15	1.22	0.91	8.00	8.75	5.25	4.000	1.050	0.400	1.450
16	1.22	0.91	8.50	9.25	5.50	4.700	1.150	0.430	1.580
17	1.22	0.91	9.00	9.75	5.75	5.500	1.300	0.470	1.770
18	1.22	0.91	9.50	10.25	6.00	6.500	1.500	0.510	2.010
19	1.22	0.91	10.00	10.75	6.25	7.500	1.700	0.580	2.280
20	1.22	0.91	10.50	11.25	6.50	8.600	1.850	0.650	2.500
21	1.22	0.91	11.00	12.00	6.75	9.800	2.050	0.680	2.730
22	1.22	0.91	11.50	12.50	7.00	11.200	2.200	0.750	2.950
23	1.22	0.91	12.00	13.00	7.25	12.600	2.400	0.810	3.210
24	1.22	0.91	12.50	13.50	7.50	14.200	2.650	0.850	3.500
25	2.10	0.91	13.00	14.00	7.75	16.000	5.050	0.950	6.000
26	2.10	0.91	13.50	14.50	8.00	17.750	5.500	1.000	6.500
27	2.10	0.91	14.00	15.00	8.25	19.750	5.800	1.050	6.850
28	2.10	0.91	14.50	15.50	8.50	22.000	6.200	1.150	7.350
29	2.10	0.91	15.00	17.00	8.75	24.000	6.600	1.250	7.850
30	2.10	0.91	15.50	17.50	9.00	27.000	7.100	1.300	8.400
31	2.10	0.91	16.00	18.00	9.25	29.000	7.600	1.350	8.950
32	2.10	0.91	16.50	18.50	9.50	32.000	8.100	1.400	9.500
33	2.10	0.91	17.00	19.00	9.75	35.000	8.600	1.500	10.100
34	2.10	0.91	17.50	19.50	10.00	38.000	9.000	1.600	10.600
35	2.10	0.91	18.00	20.00	10.25	41.000	9.600	1.700	11.300
36	2.10	0.91	18.50	20.50	10.50	44.000	10.250	1.800	12.050

Available in :


• Handle weight extra.



Brass 70:30



Copper 999



Tin Coated

BRAß & COPPER HEAVY TOPP/PATILA



Madurai Tope


Size	Thickness Pot (mm)	Thickness Lid (mm)	Inner Dia (inches)	Outer Dia (inches)	Height (inches)	Water Cap. (Liters)	Weight Pot (Kg.)	Weight Lid (Kg.)	Total Wt. (Kg.)
28	3.25	1.00	14.50	16.50	8.50	22.000	7.000	1.250	8.250
30	3.25	1.00	15.50	17.50	9.00	27.000	7.900	1.400	9.300
32	3.25	1.00	16.50	18.50	9.50	32.000	9.300	1.600	10.900
34	3.25	1.00	17.50	19.50	10.00	38.000	11.200	1.800	13.000
36	3.25	1.00	18.50	20.50	10.50	44.000	12.800	1.900	14.700
38	3.25	1.00	19.50	22.00	11.00	52.000	17.250	2.000	19.250
40	3.25	1.00	20.50	23.00	11.50	60.000	18.750	2.250	21.000
42	3.25	1.00	21.50	24.00	12.00	70.000	20.750	2.500	23.250
44	3.25	1.00	22.50	25.00	12.50	80.000	22.250	2.750	25.000
46	3.25	1.00	23.50	26.00	13.00	90.000	24.500	3.000	27.500
48	3.25	1.00	24.50	27.00	13.50	100.000	26.250	3.150	29.400
50	3.25	1.00	25.50	28.00	14.00	115.000	29.250	3.450	32.700
52	3.60	1.22	26.50	29.00	14.50	130.000	35.250	4.500	39.750
54	3.60	1.22	27.50	30.00	15.00	138.000	36.750	4.900	41.650
56	3.60	1.22	28.50	31.00	15.50	155.000	39.750	5.200	44.950
58	3.60	1.22	29.50	32.00	16.00	168.000	43.000	5.500	48.500
60	3.60	1.22	30.50	33.00	16.50	183.000	46.250	5.850	52.100

• Handle weight extra.


Available in :



Brass 70:30



Copper 999



Tin Coated

BRASS & COPPER LATMGRI




Size	Thickness Pot (mm)	Thickness Lid (mm)	Inner Dia (inches)	Outer Dia (inches)	Height (inches)	Water Cap. (Liters)	Weight Pot (Kg.)	Weight Lid (Kg.)	Total Wt. (Kg.)
30	2.64	1.00	15.50	17.50	3.30	6.000	7.250	1.400	8.650
32	2.64	1.00	16.50	18.50	3.50	7.500	7.750	1.550	9.300
34	2.64	1.00	17.50	19.50	3.60	9.000	8.500	1.750	10.250
36	2.64	1.00	18.50	20.50	3.75	10.000	9.100	1.900	11.000
38	3.25	1.00	19.50	22.00	3.85	12.000	13.200	2.050	15.250
40	3.25	1.00	20.50	23.00	4.00	14.000	13.800	2.250	16.050
42	3.25	1.00	21.50	24.00	4.15	16.000	14.500	2.500	17.000
44	3.25	1.00	22.50	25.00	4.25	18.000	15.150	2.750	17.900
46	3.25	1.00	23.50	26.00	4.30	21.000	15.850	2.950	18.800
48	3.25	1.00	24.50	27.00	4.50	24.000	16.500	3.150	19.650
50	3.25	1.00	25.50	28.00	4.60	27.000	17.250	3.450	20.700
52	4.10	1.22	26.50	29.00	4.75	30.000	23.000	4.500	27.500
54	4.10	1.22	27.50	30.00	4.85	34.000	24.250	4.850	29.100
56	4.10	1.22	28.50	31.00	5.00	38.000	25.500	5.200	30.700
58	4.10	1.22	29.50	32.00	5.10	42.000	26.750	5.500	32.250
60	4.10	1.22	30.50	33.00	5.25	46.000	28.250	5.850	34.100
62	4.10	1.22	31.50	34.00	5.35	50.000	29.500	6.200	35.700
64	4.10	1.22	32.50	35.00	5.50	56.000	31.250	6.600	37.850
66	4.10	1.22	33.50	36.00	5.60	62.000	33.250	6.900	40.150
68	4.10	1.22	34.50	37.00	5.75	68.000	35.000	7.300	42.300
70	4.10	1.22	35.50	38.00	5.90	74.000	37.000	7.700	44.700

Available in :


• Handle weight extra.



Brass 70:30



Copper 999



Tin Coated


TECHNOLOGY BDHI™D EXTRA HEAVY DUTY TOP

This is a novel technique innovated by King IN to meet with the heavy requirements of the Catering Industries keeping in mind the inflation and high cost of precious metals like Copper.

In this technique we deep draw the utensil of the desired bottom thickness and there by flow form it on CNC Machines from Germany to achieve us a light weight side and an extra heavy bottom and extra heavy edges there by providing a unique cooking pot with the utility of extra heavy bottom but economy of a regular cooking pot.

It is delight for heavy duty cooking in the catering industry.

Available only at King International



COPPER EXTRA HEAVY BOTTOM TOP




Size	Thickness Pot (mm)	Thickness Lid (mm)	Inner Dia (inches)	Outer Dia (inches)	Height (inches)	Water Cap. (Liters)	Weight Pot (Kg.)	Weight Lid (Kg.)	Total Wt. (Kg.)
30	4.88	1.00	15.50	17.50	9.00	27.000	12.000	1.400	13.400
32	4.88	1.00	16.50	18.50	9.50	32.000	14.000	1.600	15.600
34	4.88	1.00	17.50	19.50	10.00	38.000	16.800	1.800	18.600
36	4.88	1.00	18.50	20.50	10.50	44.000	19.200	1.900	21.100
38	5.30	1.00	19.50	22.00	11.00	52.000	21.000	2.000	23.000
40	5.30	1.00	20.50	23.00	11.50	60.000	25.000	2.250	27.250
42	5.30	1.00	21.50	24.00	12.00	70.000	27.250	2.500	29.750
44	5.30	1.00	22.50	25.00	12.50	80.000	29.750	2.750	32.500
46	5.30	1.00	23.50	26.00	13.00	90.000	32.250	3.000	35.250
48	5.30	1.00	24.50	27.00	13.50	100.000	34.750	3.150	37.900
50	5.30	1.00	25.50	28.00	14.00	115.000	37.250	3.450	40.700
52	5.80	1.22	26.50	29.00	14.50	130.000	44.500	4.500	49.000
56	5.80	1.22	28.50	31.00	15.50	155.000	49.750	5.200	54.950
60	5.80	1.22	30.50	33.00	16.50	183.000	59.000	5.850	64.850


Available in :



Brass 70:30



Copper 999



Tin Coated

• Handle weight extra.

BRAß & COPPER CASSEDROLD




Size	Thickness Pot (mm)	Thickness Lid (mm)	Inner Dia (inches)	Outer Dia (inches)	Height (inches)	Water Cap. (Liters)	Casserole Wt. (Kg.)	Lid Wt. (Kg.)	Total Wt. (Kg.)
14	2.65	1.00	7.00	8.00	4.50	2.500	2.400	0.400	2.800
16	2.65	1.00	8.00	9.00	5.00	4.000	2.900	0.500	3.400
18	2.65	1.00	9.00	10.00	5.50	6.000	3.500	0.600	4.100
20	3.25	1.00	10.00	11.00	6.00	8.000	5.250	0.700	5.950
22	3.25	1.00	11.00	12.00	6.50	10.000	6.000	0.800	6.800
24	3.25	1.00	12.00	13.00	7.00	12.000	7.250	0.900	8.150
26	3.25	1.00	13.00	14.00	7.50	16.000	8.750	1.000	9.750
28	3.25	1.00	14.00	15.00	8.00	20.000	10.000	1.200	11.200
30	4.10	1.00	15.00	16.00	9.00	26.000	13.900	1.400	15.300
32	4.10	1.00	16.00	17.00	9.50	32.000	15.900	1.700	17.600
34	4.10	1.00	17.00	18.00	10.00	38.000	18.000	2.000	20.000
36	4.10	1.00	18.00	19.00	11.00	45.000	20.000	2.500	22.500
40	4.10	1.00	20.00	21.00	12.00	60.000	23.750	3.000	26.750
44	4.10	1.00	22.00	23.00	13.00	80.000	28.250	3.500	31.750
48	4.10	1.00	24.00	25.00	14.00	100.000	33.500	4.000	37.500

• Handle weight included


Available in :



Brass 70:30



Copper 999




Tin Coated

BRAß & COPPER PARA^{TMT}




Size	Thickness (mm)	Outer Dia (inches)	Water Cap. (Liters)	Weight (Kgs.)
10	1.22	10.00	2.500	1.250
12	1.22	12.00	4.000	1.600
14	1.22	14.00	6.000	1.900
16	1.22	16.00	8.000	2.400
18	1.22	18.00	12.000	3.000
20	1.22	20.00	16.000	3.500
22	1.22	22.00	20.000	4.100
24	1.22	24.00	25.500	4.800
26	1.63	26.00	30.500	7.800
28	1.63	28.00	38.000	8.800
30	1.63	30.00	43.500	10.000
32	1.63	32.00	53.000	11.250
34	1.63	34.00	60.000	12.050
36	1.63	36.00	70.000	14.000
38	2.10	38.00	80.000	19.750
40	2.10	40.00	95.000	21.250
42	2.10	42.00	105.000	24.250
44	2.10	44.00	115.000	25.500
46	2.10	46.00	130.000	27.900
48	2.10	48.00	145.000	29.500




Available in :



Brass 70:30



Copper 999



Tin Coated

BRAß & COPPER DEGRA




Size	Bottom Dia (inches)	Thickness (mm)	Water Cap. (Litres)	Degra Wt. (Kg.)	Lid Wt. (Kg.)	Total Wt. (Kg.)
14	7.0	1.40	2.500	1.100	0.210	1.310
16	8.0	1.40	3.000	1.300	0.270	1.570
18	9.0	1.40	4.000	1.500	0.330	1.830
20	10.0	1.63	5.000	2.100	0.370	2.470
22	11.0	1.63	6.500	2.650	0.450	3.100
24	12.0	1.63	8.000	3.150	0.550	3.700
26	13.0	1.89	10.000	4.100	0.620	4.720
28	14.0	1.89	13.000	4.650	0.750	5.400
30	15.0	1.89	16.000	5.400	0.800	6.200
32	16.0	2.10	20.000	6.700	0.850	7.550
34	17.0	2.10	22.000	7.500	1.000	8.500
36	18.0	2.10	25.000	8.500	1.100	9.600




Available in :



Brass 70:30



Copper 999



Tin Coated

BRAß & COPPER LAGA™ (BIRYA™ LAGA™)




Size	Bottom Dia (inches)	Thickness (mm)	Water Cap. (Litres)	Degra Wt. (Kg.)	Lid Wt. (Kg.)	Total Wt. (Kg.)
14	7.0	1.40	2.500	1.100	0.210	1.310
16	8.0	1.40	3.000	1.300	0.270	1.570
18	9.0	1.40	4.000	1.500	0.330	1.830
20	10.0	1.63	5.000	2.100	0.370	2.470
22	11.0	1.63	6.500	2.650	0.450	3.100
24	12.0	1.63	8.000	3.150	0.550	3.700
26	13.0	1.89	10.000	4.100	0.620	4.720
28	14.0	1.89	13.000	4.650	0.750	5.400
30	15.0	1.89	16.000	5.400	0.800	6.200
32	16.0	2.10	20.000	6.700	0.850	7.550
34	17.0	2.10	22.000	7.500	1.000	8.500
36	18.0	2.10	25.000	8.500	1.100	9.600


Available in :



Brass 70:30



Copper 999



Tin Coated

BRAß & COPPER FRYPA™



FRYPAN




OMELETTE PAN


Size	Thickness (mm)	Inner Dia (inches)	Water Cap. (Liters)	Pan Wt. (Kg.)	Lid Wt. (Kg.)
6	1.63	6.0	1.000	1.000	0.250
7	1.63	7.0	1.250	1.150	0.300
8	1.63	8.0	1.600	1.350	0.400
9	1.63	9.0	2.000	1.500	0.500
10	2.10	10.0	2.500	2.400	0.570
11	2.10	11.0	3.500	2.800	0.670
12	2.10	12.0	4.500	3.200	0.800
13	2.10	13.0	5.250	3.600	0.900
14	2.10	14.0	6.250	4.000	1.000

• Lids available


Available in :



Brass 70:30



Copper 999



Tin Coated

BRASS & COPPER BAFLCED PA™



SAUCE PAN



SAUCE POT


Size	Thickness (mm)	Inner Dia (inches)	Height (inches)	Water Cap. (Liters)	Pan Wt. (Kg.)	Lid Wt. (Kg.)
10	1.63	5.0	3.00	1.000	1.050	0.200
12	1.63	6.0	3.50	1.750	1.400	0.250
14	1.63	7.0	4.50	3.000	1.650	0.300
16	2.10	8.0	5.00	4.250	2.300	0.400
18	2.10	9.0	5.50	5.750	3.300	0.500
20	2.10	10.0	6.00	8.000	3.800	0.600
22	2.10	11.0	6.50	10.250	4.250	0.700
24	2.10	12.0	7.00	13.000	4.800	0.800

• Lids available


Available in :



Brass 70:30



Copper 999




Tin Coated

BRAß & COPPER KARACHI



Size	Thickness (mm)	Outer Dia (inches)	Water Cap. (Liters)	Weight (Kgs.)
7	2.00	7.0	0.900	0.650
8	2.00	8.0	1.250	0.750
9	2.00	9.0	1.750	0.950
10	2.00	10.0	2.250	1.100
11	2.00	11.0	2.750	1.250
12	2.00	12.0	3.750	1.600
13	2.00	13.0	5.250	1.900
14	2.00	14.0	6.500	2.200


• Handle weight included




Available in :



Brass 70:30



Copper 999



Tin Coated

BRAß & COPPER MOMO BUDAMER




Size	Dia (inches)	Water Capacity (Litres)	Weight (Kg.)	
			3 tier	4 tier
8	8.0	6.000	2.500	3.250
10	10.0	14.000	3.500	4.500
12	12.0	22.000	6.500	8.000
14	14.0	35.000	8.000	10.000
16	16.0	42.000	10.000	12.500
18	18.0	50.000	13.000	16.000




Available in :



Brass 70:30



Copper 999



Tin Coated

All You Need To Know

CUSTOMER'S GUIDE TO VARIOUS FINISHES



Washed Finish

It is the most basic but natural finish given to aluminium wares. It involves washing of aluminium in mild acids only to clean the greases and dirt during metalworking. This brings out the natural colour of the metal.



Anodised Finish

Anodising is the process of imparting luster to the metal and also providing a secure layer to prevent decolourisation. It involves hot dipping of wares into acids and then into sealing agents.



Frosted Sunray Finish

Frosting is achieved by scalping the top oxidised layer of the metal wares to bring out the shiny inside of the vessels to impart a uniform luster. It is achieved through skillful polishing with emery papers. Then all the dirt is washed clean in mild acids.



Mirror Finish

As the name suggests, Mirror Finishing imparts a mirror like look to the metal. It involves grinding and polishing of wares at very high speeds to remove the slightest of scratch on the surface and giving it a shine identical to that of a mirror, Flawless.



Mathaar Finish

Mathaar is traditional finish when it comes to aluminium wares. It gives aluminium wares a very rich and authentic appearance. It is achieved by hammering dots onto the metal by hand with a specialised polished hammer. Each dot on the vessel represents one strike of the hammer.

• How to calculate Weight of Aluminium Sheet.

$$\text{Weight of Sheet (Kgs.)} = \frac{\text{Length (inches)} \times \text{Width (inches)} \times 1.736 \times \text{Thickness (mm)}}{1000}$$

• How to calculate Weight of Aluminium Circle.

$$\text{Weight of Circle (Kgs.)} = \frac{\text{Radius (inches)} \times \text{Radius (inches)} \times 5.456 \times \text{Thickness (mm)}}{1000}$$

• How to calculate Water Capacity of Aluminium Utensils

$$\text{Water Capacity (ltr.)} = .013 \times \text{Inner Dia (inches)} \times \text{Inner Dia (inches)} \times \text{Height (inches)}$$

TECHNICAL SPECIFICATIONS

METRIC CONVERSIONS

1 inch	=	2.54 cm = 25.4 mm
1 Metre	=	39.3 inches
1 Kg	=	2.205 lbs
1 Kg	=	2.205 Pounds
1 Kg	=	35.27 Ounces

LIQUID CONVERSIONS

1 ltr	=	1.1 Quarts
1 Qt	=	2 Pints
1 ltr	=	61 Cubic inches
1 ltr	=	0.022 Gallons (UK)
1 Gallon	=	4.55 Ltrs
1 ltr	=	1.76 Pint
1 ltr	=	35.2 Oz

GAUGE CONVERSIONS

Gauge	Thickness
00 Swg	8.84 mm
0 Swg	8.23 mm
1 Swg	7.62 mm
2 Swg	7.01 mm
3 Swg	6.40 mm
4 Swg	5.89 mm
5 Swg	5.38 mm
6 Swg	4.88 mm
8 Swg	4.06 mm
10 Swg	3.25 mm
12 Swg	2.64 mm
14 Swg	2.03 mm
15 Swg	1.83 mm
16 Swg	1.63 mm
17 Swg	1.42 mm
18 Swg	1.22 mm
19 Swg	1.01 mm
20 Swg	0.91 mm
21 Swg	0.81 mm
22 Swg	0.71 mm

Aluminium Topes/Bhagana



Tope Sets at a Glance

Size	Pcs per Set	Weight Per Set without Handle			Weight Lid (Kg.)	Handle Wt. per Pair (Kg)		
		Heavy	Medium	Light		 Lock Type	 Two Spot	 Round
10x18	9	12 G - 5.000	16 G - 4.000	18 G - 3.000	1.000	X	X	X
19x28	10	10 G - 21.000	14 G - 14.000	18 G - 9.000	3.200	0.380	0.350	X
29x36	8	8 G - 40.000	12 G - 25.000	16 G - 18.000	6.100	0.380	0.350	0.550
38x42	3	6 G - 29.000	9 G - 19.000	14 G - 14.000	3.600	0.900	0.500	0.550
44x50	4	6 G - 58.000	9 G - 38.000	12 G - 27.000	6.600	0.900	0.800	1.100
52x60	5	6 G - 100.000	9 G - 75.000	12 G - 65.000	14.200	1.400	0.800	1.400
62x70	5	6 G - 130.000	9 G - 100.00	12 G - 80.000	20.400	2.000	1.100	2.300
72x76	3	5 G - 112.000	---	---	17.250	2.000	1.500	2.300
78x84	3	4 G - 130.000	---	---	21.000	2.000	2.400	3.000
88x92	2	3 G - 105.000	---	---	18.000	3.000	3.000	3.000
96x100	2	3 G - 120.000	---	---	22.000	3.000	3.000	3.000

- Available in Washed Frosted Anodised and Mathar finishes.
- Varieties of handles are available.
- Handle weights are extra.

Handles available :



Lock Type Handle



Two Spot Handle



Round Handle



Aluminium Topes/Bhagana



Tope Sets at a Glance

Size	Pcs per Set	Weight Per Set without Handle			Weight Lid (Kg.)	Handle Wt. per Pair (Kg)		
		Heavy	Medium	Light		Lock Type	Two Spot	Round
10x18	9	12 G - 5.000	16 G - 4.000	18 G - 3.000	1.000	X	X	X
19x28	10	10 G - 21.000	14 G - 14.000	18 G - 9.000	3.200	0.380	0.350	X
29x36	8	8 G - 40.000	12 G - 25.000	16 G - 18.000	6.100	0.380	0.350	0.550
38x42	3	6 G - 29.000	9 G - 19.000	14 G - 14.000	3.600	0.900	0.500	0.550
44x50	4	6 G - 58.000	9 G - 38.000	12 G - 27.000	6.600	0.900	0.800	1.100
52x60	5	6 G - 100.000	9 G - 75.000	12 G - 65.000	14.200	1.400	0.800	1.400
62x70	5	6 G - 130.000	9 G - 100.00	12 G - 80.000	20.400	2.000	1.100	2.300
72x76	3	5 G - 112.000	---	---	17.250	2.000	1.500	2.300
78x84	3	4 G - 130.000	---	---	21.000	2.000	2.400	3.000
88x92	2	3 G - 105.000	---	---	18.000	3.000	3.000	3.000
96x100	2	3 G - 120.000	---	---	22.000	3.000	3.000	3.000

- Available in Washed Frosted Anodised and Mathar finishes.
- Varieties of handles are available.
- Handle weights are extra.

Handles available :



Lock Type Handle



Two Spot Handle



Round Handle



Small Size Topes - 10x28



Specification of Aluminium Small Size Topes

Size	Inner Dia (Inch)	Edge to Edge Dia (Inch)	Height (Inch)	Capacity (Lts)	Weight (Kg.)	Weight Lid (Kg.)
10	5.5	6.3	3.50	1.4	0.400	0.06
11	6.0	6.8	3.75	1.8	0.500	0.07
12	6.5	7.3	4.00	2.2	0.620	0.08
13	7.0	7.8	4.25	2.7	0.700	0.09
14	7.5	8.3	4.50	3.3	0.850	0.10
15	8.0	8.8	4.75	4.0	0.950	0.12
16	8.5	9.3	5.00	4.7	1.100	0.16
17	9.0	9.8	5.25	5.5	1.200	0.18
18	9.5	10.3	5.50	6.5	1.300	0.19
Total Weight 10x18 (9 Pcs Set) - 10 Swg					7.500	1.100
19	10.0	10.8	5.75	7.5	1.450	0.19
20	10.5	11.3	6.00	8.6	1.500	0.22
21	11.0	12.0	6.25	9.8	1.650	0.25
22	11.5	12.5	6.50	11.2	1.750	0.28
23	12.0	13.0	6.75	12.6	2.000	0.31
24	12.5	13.5	7.00	14.2	2.100	0.34
25	13.0	14.0	7.25	15.9	2.250	0.37
26	13.5	14.5	7.50	17.8	2.450	0.40
27	14.0	15.0	7.75	19.7	2.700	0.43
28	14.5	15.5	8.00	21.9	2.900	0.45
Total Weight 19x28 (10 Pcs Set) - 10 Swg					20.800	3.250

• Available in Wash / Anodised & Mathaar Finish.

Medium Size Topes - 29x50



Specification of Aluminium Medium Size Topes

Size	Inner Dia (Inch)	Edge to Edge Dia (Inch)	Height (Inch)	Capacity (Lts)	Weight (Kg.)	Weight Lid (Kg.)
29	15.0	17.0	8.50	24.0	4.000	0.600
30	15.5	17.5	8.75	27.0	4.300	0.650
31	16.0	18.0	9.00	29.0	4.500	0.700
32	16.5	18.5	9.25	32.0	4.800	0.780
33	17.0	19.0	9.50	35.0	4.900	0.820
34	17.5	19.5	9.75	38.0	5.100	0.880
35	18.0	20.0	10.00	41.0	5.600	0.900
36	18.5	20.5	10.25	44.0	6.400	0.950
Total Weight 29x36 (8 Pcs Set) - 8 Swg					39.600	6.280
38	19.0	22.0	11.00	52.0	8.500	1.100
40	20.0	23.0	11.50	60.0	9.500	1.200
42	21.0	24.0	12.00	70.0	10.500	1.400
Total Weight 38x42 (3 Pcs Set) - 6 Swg					28.500	3.700
44	22.0	25.0	12.50	80.0	12.000	1.500
46	23.0	26.0	13.00	90.0	13.500	1.600
48	24.0	27.0	13.50	100.0	15.000	1.700
50	25.0	28.0	14.00	115.0	16.500	1.800
Total Weight 44x50 (4 Pcs Set) - 5 Swg					57.000	6.600

- Available in Wash / Anodised & Mathaar Finish.
- Handle Weights Extra.

Large Size Topes - 52x70



Specification of Aluminium Large Size Topes

Size	Inner Dia (Inch)	Edge to Edge Dia (Inch)	Height (Inch)	Capacity (Lts)	Weight (Kg.)	Weight Lid (Kg.)
52	26.0	29.0	14.50	130.0	17.000	2.500
54	27.0	30.0	15.00	138.0	18.500	2.600
56	28.0	31.0	15.50	155.0	20.000	2.800
58	29.0	32.0	16.00	168.0	21.500	3.000
60	30.0	33.0	16.50	183.0	23.000	3.300
Total Weight 52x60 (5 Pcs Set) - 5 Swg					100.000	14.200
62	31.0	34.0	17.00	210.0	24.000	3.600
64	32.0	35.0	17.50	238.0	25.500	3.900
66	33.0	36.0	18.00	261.0	27.000	4.100
68	34.0	37.0	18.50	288.0	28.500	4.300
70	35.0	38.0	19.00	300.0	30.000	4.500
Total Weight 62x70 (5 Pcs Set) - 5 Swg					135.000	20.400

- Available in Wash / Anodised & Mathaar Finish.
- Handle Weights Extra.

XL Size Topes - 72x100



Specification of Aluminium XL Size Topes

Size	Inner Dia (Inch)	Edge to Edge Dia (Inch)	Height (Inch)	Capacity (Lts)	Weight (Kg.)	Weight Lid (Kg.)
72	36.0	39.0	19.25	338.0	34.000	5.000
74	37.0	40.0	19.50	366.0	36.000	5.750
76	38.0	41.0	19.75	395.0	38.000	6.500
Total Weight 72x76 (3 Pcs. Set) - 5 Swg					108.000	17.250
78	39.0	42.0	20.00	410.0	40.000	6.750
80	40.0	43.0	20.50	435.0	42.000	7.000
84	42.0	45.0	21.50	500.0	44.000	7.500
Total Weight 78x84 (3 Pcs. Set) - 5 Swg					126.000	21.000
88	44.0	48.0	22.50	580.0	50.000	8.500
92	46.0	50.0	23.50	675.0	55.000	9.500
Total Weight 88x92 (2 Pcs. Set) - 4 Swg					105.000	18.000
96	48.0	52.0	24.50	750.0	58.000	10.500
100	50.0	54.0	25.50	850.0	62.000	11.500
Total Weight 96x100 (2 Pcs. Set) - 4 Swg					120.000	22.000

- Available in Wash / Anodised & Mathaar Finish.
- Handle Weights Extra.

Madurai Tope (Round Bottom)



SHIBU

Specification of Madurai Topes

Size	Pcs per Set	Weight Per Set without Handle			Weight Lid (Kg.)	Handle Wt. per Pair (Kg)		
		Heavy	Medium	Light		 Lock Type	 Two Spot	 Round
29x36	8	8 G - 40.000	12 G - 25.000	16 G - 18.000	6.100	0.380	0.350	0.550
38x42	3	6 G - 29.000	9 G - 19.000	14 G - 14.000	3.600	0.900	0.500	0.550
44x50	4	6 G - 58.000	9 G - 38.000	12 G - 27.000	6.600	0.900	0.800	1.100
52x60	5	6 G - 100.000	9 G - 75.000	12 G - 65.000	14.200	1.400	0.800	1.400
62x70	5	6 G - 130.000	9 G - 100.00	12 G - 80.000	20.400	2.000	1.100	2.300
72x76	3	5 G - 112.000	---	---	17.250	2.000	1.500	2.300
78x84	3	4 G - 130.000	---	---	21.000	2.000	2.400	3.000

- Available in Washed Frosted Anodised and Mathar finishes.
- Varieties of handles are available.
- Handle weights are extra.

Handles available:



Lock Type Handle



Two Spot Handle



Round Handle

Deep Tope / Kolgam



Specification of Aluminium Deep Tope / Kolgam

Size	Dia (Inch)	Height (Inch)	Water Cap (Lts.)	Weight (Kg.)
30	9.0	8.0	8.000	3.250
32	10.0	9.0	12.000	3.750
34	11.0	10.0	16.000	4.250
36	12.0	11.0	20.000	4.750
30x36 (4 Pcs. Set) - 10 Swg				16.000
38	13.0	12.0	25.000	6.000
40	14.0	13.0	30.000	6.750
42	15.0	14.0	40.000	7.500
44	16.0	15.0	50.000	8.500
46	17.0	16.0	60.000	9.500
48	18.0	17.0	70.000	10.250
50	19.0	18.0	85.000	11.500
38x50 (7 Pcs. set) - 8 Swg				60.000
52	20.0	19.0	100.000	13.500
54	21.0	20.0	115.000	14.500
56	22.0	21.0	130.000	16.000
58	23.0	22.0	150.000	17.500
60	24.0	23.0	170.000	18.500
52x60 (5 Pcs. set) - 7 Swg				80.000

Size	Dia (Inch)	Height (Inch)	Water Cap (Lts.)	Weight (Kg.)
62	25.0	24.0	200.000	21.500
64	26.0	25.0	225.000	23.000
66	27.0	26.0	250.000	24.500
68	28.0	27.0	275.000	26.500
70	29.0	28.0	300.000	28.000
72	30.0	29.0	340.000	30.750
62x72 (6 Pcs. Set) - 6 Swg				154.250
74	31.0	30.0	375.000	32.750
76	32.0	31.0	410.000	34.750
78	33.0	32.0	450.000	36.750
80	34.0	33.0	500.000	42.500
74x80 (4 Pcs. Set) - 5 Swg				146.750
84	36.0	35.0	600.000	45.000
88	38.0	36.0	675.000	51.000
92	40.0	38.0	800.000	55.000
84x92 (3 Pcs. Set) - 3 Swg				151.000

- Available in Wash / Anodised Finish.
- Handle Weights Extra.
- Lids available.

Handles available :



Lock Type
Handle

Two Spot
Handle

Deep Tope / Kolgam (Madurai Shape)



Specification of Aluminium Deep Tope / Kolgam (Madurai Shape)

Size	Dia (Inch)	Height (Inch)	Water Cap (Lts.)	Weight (Kg.)
30	9.0	8.0	8.000	3.250
32	10.0	9.0	12.000	3.750
34	11.0	10.0	16.000	4.250
36	12.0	11.0	20.000	4.750
30x36 (4 Pcs. Set) - 10 Swg				16.000
38	13.0	12.0	25.000	6.000
40	14.0	13.0	30.000	6.750
42	15.0	14.0	40.000	7.500
44	16.0	15.0	50.000	8.500
46	17.0	16.0	60.000	9.500
48	18.0	17.0	70.000	10.250
50	19.0	18.0	85.000	11.500
38x50 (7 Pcs. set) - 8 Swg				60.000
52	20.0	19.0	100.000	13.500
54	21.0	20.0	115.000	14.500
56	22.0	21.0	130.000	16.000
58	23.0	22.0	150.000	17.500
60	24.0	23.0	170.000	18.500
52x60 (5 Pcs. set) - 7 Swg				80.000

Size	Dia (Inch)	Height (Inch)	Water Cap (Lts.)	Weight (Kg.)
62	25.0	24.0	200.000	21.500
64	26.0	25.0	225.000	23.000
66	27.0	26.0	250.000	24.500
68	28.0	27.0	275.000	26.500
70	29.0	28.0	300.000	28.000
72	30.0	29.0	340.000	30.750
62x72 (6 Pcs. Set) - 6 Swg				154.250
74	31.0	30.0	375.000	32.750
76	32.0	31.0	410.000	34.750
78	33.0	32.0	450.000	36.750
80	34.0	33.0	500.000	42.500
74x80 (4 Pcs. Set) - 5 Swg				146.750
84	36.0	35.0	600.000	45.000
88	38.0	36.0	675.000	51.000
92	40.0	38.0	800.000	55.000
84x92 (3 Pcs. Set) - 3 Swg				151.000

Handles available :



Lock Type Handle



Two Spot Handle

- Available in Wash / Anodised Finish.
- Handle Weights Extra.
- Lids available.

Lagan



Specification of Aluminium Lagan

Size	Inner Dia (Inch)	Capacity (Lts)	Weight (Kg.)	Weight Lid (Kg.)
30	15.5	6.0	5.250	0.650
32	16.5	7.5	5.600	0.780
34	17.5	9.0	6.000	0.880
36	18.5	10.0	6.300	0.950
38	19.5	12.0	6.600	1.100
40	20.5	14.0	6.900	1.200
42	21.5	16.0	7.200	1.400
44	22.5	18.0	7.500	1.500
46	23.5	21.0	7.800	1.600
48	24.5	24.0	8.200	1.700
50	25.5	27.0	8.600	1.800
52	26.0	30.0	10.000	2.500
54	27.0	34.0	10.500	2.600
56	28.0	38.0	11.000	2.800
58	29.0	42.0	11.500	3.000
60	30.0	46.0	12.000	3.300

Size	Inner Dia (Inch)			
62	31.0	50.0	12.500	3.600
64	32.0	56.0	13.500	3.900
66	33.0	62.0	14.250	4.100
68	34.0	68.0	15.250	4.300
70	35.0	74.0	16.000	4.500
72	36.0	80.0	17.000	5.000
74	37.0	86.0	18.000	5.750
76	38.0	92.0	19.000	6.500
78	39.0	100.0	20.000	6.750
80	40.0	110.0	22.000	7.500
84	42.0	125.0	24.000	8.000
88	44.0	150.0	31.000	9.000
92	46.0	175.0	34.000	10.000
96	48.0	200.0	37.000	11.000
100	50.0	225.0	40.000	12.000

- Height of the Lagan = 1/4 times height of the Tope.
- Thickness 30x50 - 6 Swg / 52x84 - 5 Swg / 88x100 - 4 Swg.
- Available in Wash / Anodised & Mathaar Finish.
- Handle Weights Extra.

Handles available :



Round Handle



Lock Type Handle



Two Spot Handle

Beaded Lagan



Specification of Aluminium Beaded Lagan

Size	Inner Dia (Inch)	Capacity (Lts)	Weight (Kg.)	Weight Lid (Kg.)
30	15.5	6.0	6.300	0.650
32	16.5	7.5	6.700	0.780
34	17.5	9.0	7.200	0.880
36	18.5	10.0	7.600	0.950
38	19.5	12.0	8.000	1.100
40	20.5	14.0	8.400	1.200
42	21.5	16.0	8.800	1.400
44	22.5	18.0	9.200	1.500
46	23.5	21.0	9.500	1.600
48	24.5	24.0	9.850	1.700
50	25.5	27.0	10.500	1.800
52	26.0	30.0	12.000	2.500
54	27.0	34.0	12.600	2.600
56	28.0	38.0	13.200	2.800
58	29.0	42.0	13.800	3.000
60	30.0	46.0	14.400	3.300

Size	Inner Dia (Inch)			
62	31.0	50.0	15.000	3.600
64	32.0	56.0	16.000	3.900
66	33.0	62.0	17.000	4.100
68	34.0	68.0	18.500	4.300
70	35.0	74.0	19.500	4.500
72	36.0	80.0	20.500	5.000
74	37.0	86.0	21.500	5.750
76	38.0	92.0	22.500	6.500
78	39.0	100.0	24.000	6.750
80	40.0	110.0	26.500	7.500
84	42.0	125.0	29.000	8.000
88	44.0	150.0	37.000	9.000
92	46.0	175.0	41.000	10.000
96	48.0	200.0	44.500	11.000
100	50.0	225.0	48.000	12.000

- Available in Wash / Anodised & Mathaar Finish.
- Handle Weights Extra.

Handles available :



Round Handle



Lock Type Handle



Two Spot Handle

Silverton Heavy Bottom Casseroles



Handles available :



S.S. Wire Handle



Aluminium Wire Handle




Lock Type Handle



Aluminium Casted Wire Handle



Size	Inner Dia (inch)	Capacity (Lts.)	Weight 5.8 mm	Weight 8 mm	Weight Lid
10	5.0	1.25	0.550	0.800	0.100
12	6.0	2.00	0.660	0.900	0.150
14	7.0	2.50	0.820	1.100	0.190
16	8.0	4.00	1.060	1.300	0.250
18	9.0	6.00	1.370	1.600	0.300
20	10.0	8.00	1.600	2.000	0.350
22	11.0	10.00	2.160	2.500	0.400
24	12.0	12.00	2.560	2.900	0.450
26	13.0	16.00	2.900	3.500	0.500
28	14.0	20.00	3.440	4.000	0.600
30	15.0	26.00	4.000	6.000	0.700
32	16.0	32.00	4.500	6.750	0.850
34	17.0	38.00	5.000	7.500	1.000
36	18.0	45.00	5.500	8.500	1.250
40	20.0	60.00	7.000	11.000	1.500
44	22.0	80.00	8.000	13.000	1.750
48	24.0	100.00	9.500	15.000	2.000
52	26.0	125.00	12.000	18.000	2.400
56	28.0	150.00	15.000	23.000	2.900
60	30.0	200.00	20.000	30.000	3.500
64	32.0	250.00	25.000	38.000	4.500
68	34.0	300.00	30.000	45.000	5.500



Double Thick Bottom for Uniform Cooking & Extra Long Life

Cross Section of Heavy Bottom Casserole

- Available in frosted sunray finish.
- Rivetted with heavy duty Aluminium and Stainless Steel Wire Handles available with all pieces.

Heavy Bottom Shallow Casserole

Size	Inner Dia (inch)	Capacity (Ltr.)	Weight with Lid (Kgs.)
12	6.0	1.00	0.680
14	7.0	1.50	0.850
16	8.0	2.00	1.110
18	9.0	3.00	1.400
20	10.0	4.00	1.650
22	11.0	6.00	2.120
24	12.0	7.00	2.400
26	13.0	10.00	2.720
28	14.0	12.00	3.200
30	15.0	15.00	3.400
32	16.0	18.00	3.600
34	17.0	21.00	4.200
36	18.0	25.00	4.800
40	20.0	35.00	6.400
44	22.0	47.00	7.600
48	24.0	60.00	8.800
52	26.0	80.00	11.200
56	28.0	100.00	12.000
60	30.0	125.00	13.600



- Available in Frosted Sunray Finish.
- Rivetted with heavy duty Aluminium & Stainless Steel Wire Handles.

Frying Brazier



Size	Inner Dia (inch)	Height (inch)	Capacity (Ltr.)	Weight (Kgs.)	Lid Wt. (Kgs.)
6	6.0	3.0	1.50	0.700	0.140
8	8.0	3.0	2.50	1.000	0.240
10	10.0	4.0	4.50	1.500	0.320
12	12.0	4.0	7.50	2.200	0.440
14	14.0	4.0	11.50	2.800	0.560
16	16.0	5.0	16.50	3.400	0.800
18	18.0	5.0	23.00	4.500	1.000
20	20.0	5.0	30.00	6.000	1.300
22	22.0	5.0	40.00	7.500	1.800
24	24.0	5.0	50.00	10.000	2.400

- Available in Frosted Sunray Finish.
- Rivetted with heavy duty Aluminium & Stainless Steel Wire Handles.

Size	Inner Dia (inch)	Capacity (Lts.)	Weight 6 mm	Weight Lid
10	5.0	2.00	0.800	0.100
12	6.0	3.00	0.900	0.150
14	7.0	4.50	1.100	0.190
16	8.0	7.00	1.300	0.250
18	9.0	10.00	1.600	0.300
20	10.0	13.00	2.000	0.350
22	11.0	17.00	2.500	0.400
24	12.0	22.00	2.900	0.450
26	13.0	28.00	3.500	0.500
28	14.0	35.00	4.000	0.600
30	15.0	45.00	6.000	0.700
32	16.0	55.00	6.750	0.850
34	17.0	65.00	7.500	1.000
36	18.0	75.00	8.500	1.250
40	20.0	100.00	11.000	1.500
44	22.0	135.00	13.000	1.750
48	24.0	175.00	15.000	2.000
52	26.0	235.00	18.000	2.400
56	28.0	280.00	23.000	2.900
60	30.0	350.00	30.000	3.500

Heavy Bottom Stock Pot



- Available in Frosted Sunray Finish.
- Rivetted with heavy duty Aluminium & Stainless Steel Wire Handles.

Parant



Handles available :



Lock Type
Handle



Oval Tray
Handle



Two Spot
Handle

Specification of Aluminium Parat

Size	Upper Dia (inch)	Thickness (Swg)	Capacity (Ltrs.)	Weight (kgs.)
14	14.00	16 swg	6.00	0.700
16	16.00	16 swg	8.00	0.850
18	18.00	16 swg	12.00	1.000
20	20.00	14 swg	16.00	1.250
22	22.00	14 swg	20.00	1.400
24	24.00	14 swg	25.50	2.150
26	26.00	14 swg	30.50	2.600
28	28.00	14 swg	38.00	3.000
30	30.00	12 swg	43.50	3.750
32	32.00	12 swg	53.00	4.800
34	34.00	12 swg	60.00	5.500
36	36.00	12 swg	70.00	6.300
38	38.00	12 swg	80.00	7.150
40	40.00	12 swg	95.00	8.000
42	42.00	12 swg	105.00	9.000
44	44.00	12 swg	115.00	10.000
46	46.00	12 swg	130.00	11.000
48	48.00	12 swg	145.00	12.000
50	50.00	11 swg	160.00	13.500
52	52.00	11 swg	175.00	15.000

- Available in frosted and anodised finish.
- Available with/without handle.

Patti Parant



Handles available :



Lock Type
Handle



Oval Tray
Handle



Two Spot
Handle



Khomcha/Round Tray




Handles available :



Oval Tray Handle

Specification of Aluminium Khomcha / Round Tray

Size	Upper Dia (inch)	Thickness (Swg)	Capacity (Ltrs.)	Weight (kgs.)
10	10.00	18 swg	1.50	0.280
11	11.00	18 swg	2.00	0.325
12	12.00	18 swg	2.50	0.380
13	13.00	18 swg	3.00	0.430
14	14.00	18 swg	3.50	0.480
16	16.00	18 swg	5.25	0.600
18	18.00	18 swg	6.75	0.750
20	20.00	16 swg	9.00	0.900
22	22.00	16 swg	11.00	1.100
24	24.00	16 swg	13.75	1.250
26	26.00	16 swg	15.75	1.700
28	28.00	16 swg	19.50	2.200
30	30.00	16 swg	22.75	2.500
32	32.00	14 swg	27.75	2.800
34	34.00	14 swg	31.25	3.200
36	36.00	14 swg	37.50	3.900
38	38.00	14 swg	42.50	4.500
40	40.00	14 swg	47.50	5.500



- Available in Wash / Anodised Finish.
- Available with/or without handles.

Tub



Handles available :



Tub Handle



Lock Type Handle



Tub with Pendi

Specification of Aluminium Tub

Size	Upper Dia (inch)	Height (inch)	Thickness (Swg.)	Weight (kgs.)	Capacity (Ltrs.)
30	15.0	9.25	13 swg	1.800	18.00
32	16.0	9.50	13 swg	2.000	22.00
34	17.0	9.75	13 swg	2.300	27.00
36	18.0	10.00	13 swg	2.750	32.00
38	19.0	10.50	12 swg	3.500	38.00
40	20.0	11.00	12 swg	3.700	45.00
42	21.0	11.50	12 swg	4.000	52.00
44	22.0	12.00	12 swg	4.500	60.00
46	23.0	12.50	12 swg	5.000	70.00
48	24.0	13.00	12 swg	5.500	80.00
50	25.0	13.50	12 swg	6.000	90.00
52	26.0	14.00	11 swg	7.000	100.00
56	28.0	15.00	11 swg	8.500	150.00
60	30.0	16.00	11 swg	10.000	200.00
64	32.0	17.00	11 swg	12.000	250.00
68	34.0	18.00	11 swg	14.000	300.00
72	36.0	19.00	11 swg	16.000	350.00

Available in black and anodised finish.
Available with or without pendi.

Tub Collander




Handles available :



Tub
Handle



Lock Type
Handle



Tub Collander with Pendi

Specification of Aluminium Tub Collander

Size	Upper Dia (inch)	Height (inch)	Thickness (Swg.)	Weight (kgs.)	Capacity (Ltrs.)
30	15.0	9.25	13 swg	1.800	18.00
32	16.0	9.50	13 swg	2.000	22.00
34	17.0	9.75	13 swg	2.300	27.00
36	18.0	10.00	13 swg	2.750	32.00
38	19.0	10.50	12 swg	3.500	38.00
40	20.0	11.00	12 swg	3.700	45.00
42	21.0	11.50	12 swg	4.000	52.00
44	22.0	12.00	12 swg	4.500	60.00
46	23.0	12.50	12 swg	5.000	70.00
48	24.0	13.00	12 swg	5.500	80.00
50	25.0	13.50	12 swg	6.000	90.00
52	26.0	14.00	11 swg	7.000	100.00
56	28.0	15.00	11 swg	8.500	150.00
60	30.0	16.00	11 swg	10.000	200.00
64	32.0	17.00	11 swg	12.000	250.00
68	34.0	18.00	11 swg	14.000	300.00
72	36.0	19.00	11 swg	16.000	350.00

- Available in frosted and anodised finish.
- Available with/or without pend.

Joint Less Degra



Specification of MS Ring Heavy Duty Joint Less Degra

Size	Bottom Dia (inch)	Swg	Capacity (Ltrs.)	Degra Weight	Lid Weight	Size	Bottom Dia (inch)	Swg	Capacity (Ltrs.)	Degra Weight	Lid Weight
14	7.00	13G	2.500	0.800	0.080	28	14.00	12G	13.000	2.640	0.360
16	8.00	13G	3.000	0.910	0.090	30	15.00	12G	16.000	3.100	0.400
18	9.00	13G	4.000	1.140	0.110	32	16.00	11G	20.000	3.560	0.440
20	10.00	13G	5.000	1.370	0.130	34	17.00	11G	22.000	4.020	0.480
22	11.00	13G	6.500	1.750	0.150	36	18.00	11G	25.000	4.480	0.520
24	12.00	13G	8.000	1.970	0.280	38	19.00	11G	28.000	6.250	0.750
26	13.00	12G	10.000	2.380	0.320	40	20.00	11G	32.000	7.150	0.850
						44	22.00	11G	38.000	8.100	1.000

• Available in Mathaar / Wash Finish.

Mini Degra



• Available in Mathaar / Wash Finish.



Specification of Mini Degra

Size	Bottom Dia (inch)	Swg	Capacity (Ltrs.)	Degra Weight	Weight With Lid
6	3.00	19G	0.200	0.070	0.013
7	3.50	19G	0.300	0.090	0.017
8	4.00	19G	0.420	0.120	0.022
9	4.50	19G	0.550	0.150	0.025
10	5.00	18G	0.750	0.250	0.041
12	6.00	18G	1.250	0.290	0.049

Degra/Biryani Chambu



Handles available :



Round Handle

Specification of Aluminium Degra/Biryani Chambu

Degra size	Neck Dia (inches)	Outer Dia (inches)	Rice Capacity (Kgs.)	Water Capacity (Ltrs.)	Weight Degra (Kgs.)	Weight Lid (Kgs.)
10	10.00	13.00	4.0	18.0	5.00	0.60
11	11.00	14.00	6.0	25.0	5.50	0.70
12	12.00	15.00	8.0	30.0	6.00	0.80
13	13.00	16.50	10.0	45.0	9.00	1.00
14	14.00	18.00	15.0	60.0	12.00	1.30
15	15.00	19.50	20.0	80.0	13.50	1.50
16	16.00	21.00	25.0	100.0	15.50	1.80
17	17.00	22.50	30.0	120.0	18.00	2.10
18	18.00	24.00	38.0	150.0	20.00	2.50
19	19.00	25.50	46.0	185.0	22.00	2.70
20	20.00	27.00	55.0	220.0	25.00	3.00
21	21.00	28.00	65.0	260.0	30.00	3.50
22	22.00	29.00	75.0	300.0	35.00	4.00
23	23.00	30.00	90.0	350.0	40.00	4.50
24	24.00	31.00	100.0	400.0	45.00	5.00
25	25.00	32.00	120.0	500.0	50.00	6.00
26	26.00	33.00	140.0	550.0	55.00	7.00

- Available in mathaar finish.
- Thickness bottom 5.5 mm (5 swg.) / body 4.1 mm (8 swg.)



Light Karahi

Specification of Light Karahi

Size	Dia (inch)	Weight (Kgs.)	Capacity (Ltrs.)
7	7	0.250	1.000
8	8	0.300	1.500
9	9	0.360	2.400
10	10	0.440	3.500
11	11	0.520	4.500
12	12	0.600	5.500
13	13	0.650	6.800
14	14	0.700	8.000

- Thickness 18 Swg.
- Available in Wash finish.



Regular Karahi

Specification of Regular Karahi

Size	Dia (inch)	Weight (Kgs.)	Capacity (Ltrs.)
7	7	0.500	1.000
8	8	0.600	1.500
9	9	0.720	2.400
10	10	0.880	3.500
11	11	1.040	4.500
12	12	1.200	5.500
13	13	1.300	6.800
14	14	1.400	8.000

- Thickness 12 Swg.
- Available in Frosted & Anodised finish.



Heavy Bottom Karahi

Specification of Heavy Bottom Karahi

Size	Inner Dia (inch)	Capacity (Ltr.)	Weight (Kgs.)	Lid (Kgs.)
7	7	0.700	0.450	0.200
8	8	0.900	0.550	0.200
9	9	1.600	0.750	0.300
10	10	2.700	1.000	0.350
11	11	3.750	1.300	0.450
12	12	5.000	1.450	0.500
13	13	6.500	1.650	0.600
14	14	8.500	2.000	0.700
16	16	12.500	3.000	0.900
18	18	19.000	3.500	1.000

- Available in Frosted Sunray Finish.
- Rivetted with heavy duty Aluminium & Stainless Steel Wire Handles.



Casting Karahi

Specification of Casting Karahi

Size	Diameter (Inches)	Capacity (Ltrs.)	Weight Light (Kg.)	Weight Heavy (Kg.)
1	8.00	1.000	0.470	--
2	8.50	1.250	0.510	--
3	9.00	1.500	0.560	--
4	9.50	2.000	0.590	--
5	10.00	2.500	0.650	--
6	10.50	3.000	0.750	1.000
7	11.00	3.500	0.800	1.100
8	11.50	4.250	0.900	1.200
9	12.00	5.000	1.000	1.300
10	12.50	5.750	1.100	1.550
11	13.00	6.500	--	1.700
12	13.50	7.250	--	1.800
13	14.50	9.000	--	2.300
14	15.50	10.000	--	2.500
15	16.50	12.000	--	3.300
16	18.00	20.000	--	3.850
17	19.00	25.000	--	4.350
18	20.00	30.000	--	5.500

- Available in Emery Finish.

XL Karahi



Handles available :



S.S. Wire Handle



Aluminium Casted Wire Handle



Aluminium Wire Handle

Specification of Aluminium Karahi

Specification of Aluminium XL Karahi

Size	Dia (Inches)	Capacity (Lts)	Weight (Kg.)	
			Karahi	Lid
7	7.0	0.700	0.700	0.180
8	8.0	1.000	0.900	0.250
9	9.0	1.500	1.000	0.300
10	10.0	2.500	1.200	0.350
11	11.0	3.500	1.300	0.400
12	12.0	5.000	1.550	0.450
13	13.0	6.500	1.800	0.500
14	14.0	8.000	2.800	0.600
15	15.0	10.000	3.100	0.700
16	16.0	12.500	3.600	0.800
18	18.0	20.000	4.500	1.000
20	20.0	30.000	5.500	1.400

Size	Dia (Inches)	Capacity (Lts)	Weight (Kg.)	
			Karahi	Lid
22	22.0	40.000	6.800	1.800
24	24.0	50.000	8.000	2.100
26	26.0	60.000	9.000	2.400
28	28.0	70.000	10.000	2.700
30	30.0	80.000	12.500	3.000
32	32.0	90.000	14.000	3.500
34	34.0	100.000	16.000	4.000
36	36.0	120.000	18.000	4.500
38	38.0	135.000	20.000	5.000
40	40.0	150.000	22.000	5.500
44	44.0	200.000	25.000	7.000
48	48.0	250.000	30.000	9.000

- Thickness 7x13 - 8 Swg / 14x18 - 7 Swg / 20x26 - 6 Swg / 28x40 - 4 Swg / 44x48 - 3 Swg.
- Available in Frosted Finish.
- Weight given above includes the weight of the respective handles.

Boya



Handles available :



Two Spot
Handle



Aluminium
Wire Handle



Tub
Handle



Oval Tray
Handle

Specification of Aluminium Boya

Size	Uppar Dia (Inches)	Thickness	Weight (Kgs.)
10	10.0	16 Swg	0.300
11	11.0	16 Swg	0.350
12	12.0	16 Swg	0.400
13	13.0	16 Swg	0.500
14	14.0	16 Swg	0.600
15	15.0	16 Swg	0.700
16	16.0	16 Swg	0.800
18	18.0	14 Swg	1.750
20	20.0	14 Swg	2.300
22	22.0	13 Swg	2.800
24	24.0	13 Swg	3.400

Size	Uppar Dia (Inches)	Thickness	Weight (Kgs.)
26	26.0	13 Swg	4.250
28	28.0	13 Swg	4.750
30	30.0	12 Swg	5.750
32	32.0	12 Swg	6.500
34	34.0	12 Swg	7.250
36	36.0	12 Swg	8.000
38	38.0	12 Swg	9.000
40	40.0	12 Swg	10.000
44	44.0	11 Swg	11.000
48	48.0	11 Swg	12.000
52	52.0	11 Swg	13.000

- Available in Wash / Anodised Finish.
- Available with/or without handle.

Pendi Boya / Collander



Specification of Pendi Boya/Collander

Size	Uppar Dia (Inches)	Thickness	Weight (Kgs.)
10	10.0	16 Swg	0.400
11	11.0	16 Swg	0.450
12	12.0	16 Swg	0.550
13	13.0	16 Swg	0.650
14	14.0	16 Swg	0.750
15	15.0	16 Swg	0.900
16	16.0	16 Swg	1.000
18	18.0	14 Swg	2.100
20	20.0	14 Swg	2.600
22	22.0	14 Swg	3.200
24	24.0	14 Swg	3.800
26	26.0	14 Swg	4.800
28	28.0	14 Swg	5.600
30	30.0	12 Swg	6.750
32	32.0	12 Swg	7.500
34	34.0	12 Swg	8.750
36	36.0	12 Swg	10.000
38	38.0	12 Swg	11.250
40	40.0	12 Swg	12.250
44	44.0	11 Swg	13.500
48	48.0	11 Swg	14.500
52	52.0	11 Swg	16.000

Boya With MS-Ring



Handles available :



Two Spot Handle



Aluminium Wire Handle



Tub Handle



Oval Tray Handle

- Thickness 10x18 - 16 Swg
16x28 - 14 Swg
30x40 - 12 Swg
44x52 - 11 Swg
- Available in Wash / Anodised Finish.
- Available with/or without handle.

Light Sauce Pan (Beaded)



Specification of Light Sauce Pan

Size	Dia (inch)	Weight (Kgs.)	Capacity (Ltrs.)
9	5.00	0.150	0.800
10	5.50	0.170	1.000
11	6.00	0.180	1.300
12	6.50	0.230	1.600
13	7.00	0.250	1.900
14	7.50	0.280	2.500
16	8.50	0.350	3.500
18	9.50	0.400	5.000

- Thickness 22 Swg.
- Available in Wash finish.

Regular Sauce Pan



Specification of Regular Sauce Pan

Size	Dia (inch)	Weight (Kgs.)	Capacity (Ltrs.)
10	5.50	0.440	1.000
12	6.50	0.550	1.600
14	7.50	0.700	2.500
16	8.50	0.900	3.500
18	9.50	1.100	5.000
20	10.50	1.500	6.500
22	11.50	1.750	7.500
24	12.50	2.000	8.500

- Thickness 12 Swg.
- Available in Frosted & Anodised finish.

Heavy Bottom Sauce Pan



Specification of Heavy Bottom Sauce Pan

Size	Dia (inch)	Wt/Pc 4 Swg	Weight Lid
6	6.00	0.700	0.140
7	7.00	0.850	0.180
8	8.00	1.100	0.240
9	9.00	1.400	0.280
10	10.00	1.650	0.320
11	11.00	2.200	0.340
12	12.00	2.600	0.440
14	14.00	3.000	0.500

- Thickness 10 Swg.
- Available in Frosted & Anodised finish.

Milk Pan



Specification of Milk Pan

Size	Dia (inch)	Capacity (Ltrs.)	Wt/Pc (Kgs.)	Weight With Lid
6	6	1.2	0.500	0.140
7	7	2.5	0.600	0.180
8	8	3.5	0.750	0.240
9	9	4.5	0.950	0.280
10	10	7.0	1.200	0.320
11	11	9.0	1.350	0.340
12	12	11.0	1.600	0.440

- Thickness 10 Swg.
- Available in Frosted & Anodised finish.

Hotel Sauce Pan



Specification of Aluminium Hotel Sauce Pan (Heavy Duty)

Size	Dia (inch)	Weight (Kgs.)	Capacity (Ltrs.)
9	5.00	0.200	1.00
10	5.50	0.250	1.40
11	6.00	0.400	1.80
12	6.50	0.500	2.10
13	7.00	0.550	2.70
14	7.50	0.650	3.30
15	8.00	0.750	3.90
16	8.50	0.800	4.50
17	9.00	0.850	5.10
18	9.50	0.900	5.80
19	10.00	0.950	6.70
20	10.50	1.150	7.30
21	11.00	1.250	9.20
22	11.50	1.350	10.30
23	12.00	1.500	11.80
24	12.50	1.750	13.00



- Thickness 12/10/8 Swg.
- Available in Frosted & Anodised finish.
- Available with Casting Aluminium Handle & Stainless Steel Pipe Handle.

Light Fry Pan (Beaded)



Specification of Light Fry Pan (Beaded)

Size	Dia	Weight	Capacity
7	7.0	0.240	0.800
8	8.0	0.260	1.200
9	9.0	0.300	1.700
10	10.0	0.340	2.300
11	11.0	0.380	3.000
12	12.0	0.450	3.800
13	13.0	0.500	4.800
14	14.0	0.600	6.000


- Thickness 19 Swg.
- Available in Wash finish.

Specification of Regular Fry Pan

Size	Dia (inch)	Weight (Kgs.)	Lid Weight	Capacity (Ltrs.)
7	7.0	0.480	0.180	0.800
8	8.0	0.520	0.240	1.200
9	9.0	0.600	0.280	1.700
10	10.0	0.680	0.320	2.300
11	11.0	0.760	0.350	3.000
12	12.0	0.900	0.450	3.800
13	13.0	1.000	0.500	4.800
14	14.0	1.200	0.550	6.000

- Thickness 12 Swg.
- Available in Frosted & Anodised finish.

Regular Fry Pan



Heavy Bottom Fry Pan



Specification of Heavy Bottom Fry Pan

Size	Dia (inch)	Weight (Kgs.)	Lid Weight	Capacity (Ltrs.)
7	7.0	0.800	0.180	0.800
8	8.0	1.000	0.240	1.200
9	9.0	1.250	0.280	1.700
10	10.0	1.500	0.320	2.300
11	11.0	1.800	0.350	3.000
12	12.0	2.100	0.450	3.800
13	13.0	2.600	0.500	4.800
14	14.0	3.000	0.550	6.000

- Available in Frosted Sunray Finish
- Available with SS Tube, Back elite, Wooden & Cast Aluminium Handles


Heavy bottom Fry pans have been designed with a double thick 6mm base thickness by a special process to ensure uniform cooking and to prevent burning of food substances. This is why they are the ultimate choice for a professional kitchens.

Hotel Fry Pan



Specification of Aluminium Hotel Fry Pan

Size	Dia (inch)		Capacity (Ltrs.)
7	7.0	0.450	1.000
8	8.0	0.500	1.250
9	9.0	0.600	1.700
10	10.0	0.680	2.300
11	11.0	0.760	3.000
12	12.0	0.900	3.800
13	13.0	1.000	4.800
14	14.0	1.200	6.000
16	16.0	1.800	8.000
18	18.0	2.600	12.000




- Thickness 10/8 Swg.
- Available in Frosted & Anodised finish.
- Available with Casting Aluminium Handle & Stainless Steel Pipe Handle.

Baking Sheet



Specification of Aluminium Baking Sheet

			Thickness	Capacity Ltrs.	Wt. (Kg.) ½" Deep
1	8x12	20x30	18 Swg	0.800	0.240
2	9x13	22x33	18 Swg	0.950	0.300
3	10x14	25x36	18 Swg	1.150	0.380
4	11x15	28x38	18 Swg	1.350	0.450
5	12x16	30x41	18 Swg	1.600	0.560
6	14x18	36x46	16 Swg	2.000	0.840
7	16x20	41x51	16 Swg	2.600	1.250
8	16x22	41x56	16 Swg	2.900	1.350
9	16x24	41x61	16 Swg	3.100	1.450
10	18x24	46x61	14 Swg	3.500	1.570
11	24x24	61x61	14 Swg	4.750	2.100



• Available in Wash / Anodised Finish.

Burfi Tray



Specification of Aluminium Burfi Tray

S. No.	Size (Inch)	Size (cm)	Thickness	Capacity Ltrs.	Wt. (Kg.) 1" Deep
1	8x12	20x30	18 Swg	0.800	0.240
2	9x13	22x33	18 Swg	0.950	0.300
3	10x14	25x36	18 Swg	1.150	0.380
4	11x15	28x38	18 Swg	1.350	0.450
5	12x16	30x41	18 Swg	1.600	0.560
6	14x18	36x46	16 Swg	2.000	0.840
7	16x20	41x51	16 Swg	2.600	1.250
8	16x22	41x56	16 Swg	2.900	1.350
9	16x24	41x61	16 Swg	3.100	1.450
10	18x24	46x61	14 Swg	3.500	1.570
11	24x24	61x61	14 Swg	4.750	2.100

- Available in Wash / Anodised Finish.
- Handle Weights Extra.

Rasgulla Tray



Available with Lid also

Specification of Aluminium Rasgulla Tray

S. No.	Size (Inch)	Size (cm)	Thickness	Capacity (Ltrs.)	Weight 3" Deep	Lid Wt. ½" Deep
1	8x12	20x30	18 Swg	4.800	0.540	0.300
2	10x14	25x36	18 Swg	6.900	0.680	0.450
3	12x16	30x41	18 Swg	9.450	0.840	0.650
4	14x18	36x46	16 Swg	12.300	1.400	0.950
5	16x20	41x51	16 Swg	15.750	1.600	1.350
6	18x24	46x61	14 Swg	21.000	2.500	1.700
7	24x24	61x61	14 Swg	28.500	3.200	2.250

- Available in Wash / Anodised Finish.
- Handle Weights Extra.

Handles available :



Aluminium Wire Handle



S.S. Lock Type Handle



Oval Tray Handle



Two Spot Handle



S.S. Wire Handle

Roasting Pan



Specification of Aluminium Roasting Pan

S. No.	Size (Inch)	Size (cm)	Thickness	Capacity (Ltrs.)	Weight 3" Deep
1	8x12	20x30	18 Swg	4.800	0.540
2	10x14	25x36	18 Swg	6.900	0.680
3	12x16	30x41	18 Swg	9.450	0.840
4	14x18	36x46	16 Swg	12.300	1.400
5	16x20	41x51	16 Swg	15.750	1.600
6	18x24	46x61	14 Swg	21.000	2.500
7	24x24	61x61	14 Swg	28.500	3.200

- Available in Wash / Anodised Finish.
- Handle Weights Extra.

Handles available :



Aluminium Wire Handle



S.S. Look Type Handle




Oval Tray Handle



Two Spot Handle



S.S. Wire Handle



S. No.	Size (Inch)	Size (cm)	Thickness	1" Deep Wt. (Kg.)	1½" Deep Wt. (Kg.)	2" Deep Wt. (Kg.)	3" Deep Wt. (Kg.)
1	8x12	20x30	16 Swg	0.400	0.450	0.550	0.700
2	10x14	25x36	16 Swg	0.550	0.600	0.650	0.900
3	12x16	30x41	16 Swg	0.750	0.800	0.850	1.100
4	14x18	36x46	14 Swg	1.100	1.300	1.400	1.750
5	16x20	40x51	14 Swg	1.500	1.650	1.750	2.100
6	16x24	40x61	14 Swg	1.750	1.900	2.000	2.400
7	18x24	46x61	14 Swg	2.000	2.100	2.250	2.650
8	22x22	56x56	12 Swg	2.600	2.900	3.100	3.600
9	24x24	51x71	12 Swg	3.100	3.400	3.600	4.200

- Available in Wash / Anodised Finish.
- Handle Weights Extra.

Handles available :



Aluminium Wire Handle



S.S. Lock Type Handle



Oval Tray Handle



Two Spot Handle



S.S. Wire Handle

Box Trays



Specification of Box Trays

S. No.	Size (Inch)	Size (cm)	Thickness	1½" Deep Wt. (Kg.)	2" Deep Wt. (Kg.)	3" Deep Wt. (Kg.)	Lid/½" Wt. (Kg.)
1	8x12	20x30	16 Swg	0.450	0.550	0.700	0.350
2	10x14	25x36	16 Swg	0.600	0.650	0.900	0.500
3	12x16	30x41	16 Swg	0.800	0.850	1.100	0.650
4	14x18	36x46	14 Swg	1.300	1.400	1.750	1.000
5	16x20	40x51	14 Swg	1.650	1.750	2.100	1.400
6	16x24	40x61	14 Swg	1.900	2.000	2.400	1.600
7	18x24	46x61	14 Swg	2.100	2.250	2.650	1.800
8	22x22	56x56	12 Swg	2.900	3.100	3.600	2.400
9	24x24	51x71	12 Swg	3.400	3.600	4.200	2.800

- Available in Wash / Anodised Finish.
- Handle Weights Extra.

Handles available :



Aluminium Wire Handle



S.S. Lock Type Handle



Oval Tray Handle



Two Spot Handle



S.S. Wire Handle

Sheet Tawa



Specification of Sheet Tawa

Size	Dia (inch)	Weight (Kgs.)	Weight Without Handle
8	8.0	0.450	0.285
9	9.0	0.500	0.360
10	10.0	0.600	0.440
11	11.0	0.700	0.530
12	12.0	0.800	0.640
13	13.0	1.000	0.750
14	14.0	1.200	0.860

- Thickness 10 Swg.
- Available in Emery finish.

Specification of Aluminium Bucket

Size	Dia (inch)	Weight (Kgs.)	Capacity (Ltrs.)
14	7.00	0.500	2.50
16	8.00	0.600	3.50
18	9.00	0.800	5.50
20	10.00	0.950	8.50
22	11.00	1.100	11.0
24	12.00	1.450	14.0
26	13.00	1.750	18.0
28	14.00	2.000	23.0

- Available in Wash / Anodised Finish.
- Available in Regular / Delux design.



Kettle



Specification of Aluminium Kettle

Size	Dia (inch)	Weight (Kgs.)	Capacity (Ltrs.)
10	5	0.320	1.00
12	6	0.400	1.60
14	7	0.500	2.50
16	8	0.600	3.75
18	9	0.800	5.00
20	10	1.000	7.20
22	11	1.300	9.50
24	12	1.600	12.50
26	13	2.200	15.50
28	14	2.600	20.00

- Available in Wash / Anodised Finish.

Momo Steamer



Specification of Momo Steamer

Size	Dia (inch)	Capacity (Ltrs.)	Weight (Kgs.)
7	7.0	5.0	1.000
8	8.0	6.0	1.200
9	9.0	10.0	1.500
10	10.0	14.0	1.900
11	11.0	18.0	2.400
12	12.0	22.0	3.000
13	13.0	28.0	3.400
14	14.0	35.0	3.800
16	16.0	42.0	5.500
18	18.0	50.0	6.500
20	20.0	60.0	8.000
22	22.0	70.0	9.000

Mathaar Tope



Mathaar Finish

Mathaar is traditional finish when it comes to aluminium wares, It gives aluminium wares a very rich and authentic appearance. It is achieved by hammering dots onto the metal by hand with a specialised polished hammer. Each dot on the vessel represents one strike of the hammer.

Size	Pcs per Set	Weight Per Set without Handle			Weight Lid (Kg.)	Handle Wt. per Pair (Kg)		
		Heavy	Medium	Light		Lock Type	Two Spot	Round
10x18	9	12 G - 5.000	16 G- 4.000	18 G - 3.000	1.000	X	X	X
19x28	10	10 G - 21.000	14 G- 14.000	18 G - 9.000	3.200	0.380	0.350	X
29x36	8	8 G - 40.000	12 G- 25.000	16 G - 18.000	6.100	0.380	0.350	0.550
38x42	3	6 G - 29.000	9 G - 19.000	14 G - 14.000	3.600	0.900	0.500	0.550
44x50	4	6 G - 58.000	9 G - 38.000	12 G - 27.000	6.600	0.900	0.800	1.100
52x60	5	6 G - 100.000	9 G - 75.000	12 G - 65.000	14.200	1.400	0.800	1.400
62x70	5	6 G - 130.000	9 G - 100.00	12 G - 80.000	20.400	2.000	1.100	2.300
72x76	3	5 G - 112.000	---	---	17.250	2.000	1.500	2.300
78x84	3	4 G - 130.000	---	---	21.000	2.000	2.400	3.000

Handles available :



Lock Type Handle



Two Spot Handle



Round Handle



KING
INTERNATIONAL

Stainless Steel Tope_____1.0 mm



King stainless steel cooking pot is a testament to our legacy of expertise in kitchenware. Made from premium grade stainless steel, our pots boast excellent durability, corrosion resistance, and heat retention properties. Perfect for all your cooking needs, our SS cooking pots are ideal for your kitchen. Its compatibility with induction cooktops, making it versatile for modern kitchen setups.

Size	Thickness Pot (mm)	Thickness Lid (mm)	Inner Dia (inches)	Outer Dia (inches)	Height (inches)	Water Cap. (Liters)	Weight Pot (Kg.)	Weight Lid (Kg.)	Total Wt. (Kg.)
14	2.00	1.00	7.00	8.50	4.50	3.200	0.700	0.300	1.000
16	2.00	1.00	8.00	9.50	5.00	4.500	0.950	0.400	1.350
18	2.00	1.00	9.00	10.50	5.50	6.300	1.200	0.500	1.700
20	2.00	1.00	10.00	11.75	6.00	8.500	1.350	0.600	1.950
22	2.00	1.00	11.00	12.75	6.50	11.000	1.650	0.700	2.350
24	2.00	1.00	12.00	13.75	7.00	14.000	2.000	0.850	2.850
26	2.00	1.00	13.00	15.00	7.50	17.500	2.350	1.000	3.350
28	2.00	1.00	14.00	16.00	8.00	21.650	2.750	1.200	3.950
30	2.00	1.00	15.00	17.00	9.00	24.850	3.200	1.350	4.550
32	2.00	1.00	16.00	18.00	9.50	30.750	3.700	1.500	5.200
34	2.00	1.00	17.00	19.00	10.00	35.700	4.200	1.650	5.850
36	2.00	1.00	18.00	20.00	10.50	41.000	4.700	1.900	6.600

Available in :

• Handle weight extra.



Cooking Pot 2.00 mm thick

Size	Thickness Pot (mm)	Thickness Lid (mm)	Inner Dia (inches)	Outer Dia (inches)	Height (inches)	Water Cap. (Liters)	Weight Pot (Kg.)	Weight Lid (Kg.)	Total Wt. (Kg.)
14	2.00	1.00	7.00	8.50	4.50	3.200	1.400	0.300	1.700
16	2.00	1.00	8.00	9.50	5.00	4.500	1.850	0.400	2.250
18	2.00	1.00	9.00	10.50	5.50	6.300	2.350	0.500	2.850
20	2.00	1.00	10.00	11.75	6.00	8.500	2.650	0.600	3.250
22	2.00	1.00	11.00	12.75	6.50	11.000	3.250	0.700	3.950
24	2.00	1.00	12.00	13.75	7.00	14.000	4.000	0.850	4.850
26	2.00	1.00	13.00	15.00	7.50	17.500	4.750	1.000	5.750
28	2.00	1.00	14.00	16.00	8.00	21.650	5.500	1.200	6.700
30	2.00	1.00	15.00	17.00	9.00	24.850	6.400	1.350	7.750
32	2.00	1.00	16.00	18.00	9.50	30.750	7.400	1.500	8.900
34	2.00	1.00	17.00	19.00	10.00	35.700	8.400	1.650	10.050
36	2.00	1.00	18.00	20.00	10.50	41.000	9.400	1.900	11.300
38	2.00	1.00	19.00	21.00	11.00	46.000	10.000	2.100	12.100
40	2.00	1.00	20.00	22.50	11.50	58.500	11.250	2.200	13.450
42	2.00	1.00	21.00	23.50	12.00	65.000	12.250	2.400	14.650
44	2.00	1.00	22.00	24.50	12.50	75.500	13.750	2.700	16.450
46	2.00	1.00	23.00	25.50	13.00	85.000	14.500	2.900	17.400
48	2.00	1.00	24.00	26.50	13.50	101.000	15.750	3.100	18.850
50	2.00	1.00	25.00	27.50	14.00	120.000	17.250	3.400	20.650
52	2.00	1.00	26.00	28.50	14.50	130.000	18.750	3.600	22.350
54	2.00	1.00	27.00	29.50	15.00	142.000	19.150	4.000	23.150
56	2.00	1.00	28.00	30.50	15.50	155.000	20.100	4.400	24.500

Cooking Pot 3.00 mm thick

Size	Thickness Pot (mm)	Thickness Lid (mm)	Inner Dia (inches)	Outer Dia (inches)	Height (inches)	Water Cap. (Liters)	Weight Pot (Kg.)	Weight Lid (Kg.)	Total Wt. (Kg.)
24	3.00	1.00	12.00	13.75	7.00	14.000	6.000	0.850	6.850
26	3.00	1.00	13.00	15.00	7.50	17.500	7.000	1.000	8.000
28	3.00	1.00	14.00	16.00	8.00	21.650	8.250	1.200	9.450
30	3.00	1.00	15.00	17.00	9.00	24.850	9.650	1.350	11.000
32	3.00	1.00	16.00	18.00	9.50	30.750	11.000	1.500	12.500
34	3.00	1.00	17.00	19.00	10.00	35.700	12.500	1.650	14.050
36	3.00	1.00	18.00	20.00	10.50	41.000	13.500	1.900	15.400
38	3.00	1.00	19.00	21.00	11.00	46.000	14.500	2.100	16.600
40	3.00	1.00	20.00	22.50	11.50	58.500	17.000	2.200	19.200
42	3.00	1.00	21.00	23.50	12.00	65.000	18.500	2.400	20.900
44	3.00	1.00	22.00	24.50	12.50	75.500	19.000	2.700	21.700
46	3.00	1.00	23.00	25.50	13.00	85.000	21.500	2.900	24.400
48	3.00	1.00	24.00	26.50	13.50	101.000	23.500	3.100	26.600
50	3.00	1.00	25.00	27.50	14.00	120.000	25.000	3.400	28.400
52	3.00	1.00	26.00	28.50	14.50	130.000	26.750	3.600	30.350

• Top set weight (Above size 28) include handle weight.

Stainless Steel Tope - Cooking Pot



POPULAR SETS (Thickness 2.0 mm)

ACTUAL THICKNESS

Tope Set			Weight Lid (Kgs.)
14x22 (5 Pcs. set)	11.500	2.500	14.000
24x28 (3 Pcs. set)	14.250	3.050	17.300
30x36 (4 Pcs. set)	32.000	6.400	38.400
38x42 (3 Pcs. set)	34.000	6.700	40.700
44x50 (4 Pcs. set)	62.000	12.100	74.100
30x50 (11 Pcs. set)	128.000	25.200	153.200



CRAFTING UTENSILS SINCE 1942



**LOCK TYPE
HANDLE**

Size	Handle Wt. per Pair (Kg.)
30x36	0.900
38x50	1.400
52x70	1.800

Tope set weight (Above size 28) include handle weight.

POPULAR SETS (Thickness 3.0 mm)

ACTUAL THICKNESS

Tope Set	Weight Top (Kgs.)	Weight Lid (Kgs.)	Total Weight (Kgs.)
24x28 (3 Pcs. set)	21.250	3.050	24.300
30x36 (4 Pcs. set)	47.000	6.400	54.400
38x42 (3 Pcs. set)	60.000	6.700	67.700
44x50 (4 Pcs. set)	89.000	12.100	101.100
30x50 (11 Pcs. set)	186.000	25.200	211.200


(4)

Stainless Steel Parant $\overline{\overline{\quad}} 1.2 \text{ mm}$



Size	Inner Dia (inches)	Thickness (mm)	Weight (Kgs.)
20	20.0	1.00	2.750
22	22.0	1.00	3.250
24	24.0	1.00	3.750
26	26.0	1.00	4.600
28	28.0	1.00	5.250
30	30.0	1.00	6.000
32	32.0	1.00	6.600
34	34.0	1.00	7.100
36	36.0	1.00	8.250
38	38.0	1.22	11.100
40	40.0	1.22	12.000
44	44.0	1.22	14.000
48	48.0	1.22	16.000

• Handle weight extra



Available in :

krome
16+

430 GRADE
MAGNETIC

20

202 GRADE
NON-MAGNETIC

18/8
KROME NICKLE

304 GRADE
LIFE TIME

X-Large Size Cooking Pot — 3.00 mm thick



Size	Thic Pot (				g	W C	W g ot (g	W ght d (Kg.)	Total Wt. (Kg.)
52	3	.0	26.00	9.00		30.0	9 0	3.600	33.400
54	3 0		27.00	30 0		38	2.2	4.000	36.200
56	3		28.00	31.00			4.	4.200	38.800
58	3		00	32.00		8	00	4.400	41.500
60	3	0	0.00	33.00	6 5	. 00	9.700	4.800	44.500
62	3.00	1.00	31.00	34.00	17.00	210.000	44.250	5.000	49.250
64	3.00	1.00	32.00	35.00	17.50	238.000	46.250	5.250	51.500
66	3.00	1.00	33.00	36.00	18.00	261.000	48.500	5.500	54.000
68	3.00	1.00	34.00	37.00	18.50	288.000	50.600	5.800	56.400
70	3.00	1.00	35.00	38.00	19.00	300.000	52.850	6.200	57.050

Available in :

krome 16+
430 GRADE
MAGNETIC

202
202 GRADE
NON-MAGNETIC

18 | 8
KROME NICKLE
304 GRADE
LIFE TIME

- Handle weight included (2.5 kg per pair)
- Tope 52x60 (2 handles)
- Tope 62x70 (4 handles)

Stainless Steel Casseroles 3 mm



King range of stainless steel utensils includes the durable and versatile casserole. Crafted from quality stainless steel, this product is ideal for slow cooking and simmering amongst a plethora of other cooking applications. The magnetic quality of the steel allows for even heat distribution and compatibility with induction cooktops. Shibu's commitment to quality is evident in the attention to detail in the development of this casserole.

Size	Thickness Pot (mm)	Thickness Lid (mm)	Inner Dia (inches)	Outer Dia (inches)	Height (inches)	Water Cap. (Liters)	Casserole Wt. (Kg.)	Lid Wt. (Kg.)	Total Wt. (Kg.)
14	2.00	1.00	7.00	8.00	4.50	3.200	1.400	0.300	1.700
16	2.00	1.00	8.00	9.00	5.00	4.500	1.850	0.400	2.250
18	2.00	1.00	9.00	10.00	5.50	6.300	2.350	0.500	2.850
20	3.00	1.00	10.00	11.00	6.00	8.500	2.650	0.600	3.250
22	3.00	1.00	11.00	12.00	6.50	11.000	3.250	0.700	3.950
24	3.00	1.00	12.00	13.00	7.00	14.000	4.000	0.850	4.850
26	3.00	1.00	13.00	14.00	7.50	17.500	7.000	1.000	8.000
28	3.00	1.00	14.00	15.00	8.00	21.650	8.250	1.100	9.350
30	3.00	1.00	15.00	16.00	9.00	24.850	9.650	1.250	10.900
32	3.00	1.00	16.00	17.00	9.50	30.750	11.000	1.400	12.400
34	3.00	1.00	17.00	18.00	10.00	35.700	12.500	1.550	14.050
36	3.00	1.00	18.00	19.00	11.00	41.000	13.300	1.700	15.000
40	3.00	1.00	20.00	21.00	12.00	58.500	16.800	1.900	18.700
44	3.00	1.00	22.00	23.00	13.00	75.500	19.600	2.200	21.800
48	3.00	1.00	24.00	25.00	14.00	101.000	23.700	2.600	26.300

• Handle weight included

Available in :

krome 16+

430 GRADE
MAGNETIC

202

202 GRADE
NON-MAGNETIC

18/8

304 GRADE
LIFE TIME

Stainless Steel Shallow Casseroles 3 mm



King shallow casserole is a versatile addition to our wide range of stainless steel utensils. Crafted from high-quality stainless steel, this shallow casserole is perfect for any type of cooking you can bring its way. The magnetic nature of grade makes our stainless steel range compatible with induction cooktops. The height of Shallow Casseroles is 3/4 times of casseroles height.

Size	Thickness Pot (mm)	Thickness Lid (mm)	Inner Dia (inches)	Outer Dia (inches)	Height (inches)	Water Cap. (Liters)	Casserole Wt. (Kg.)	Lid Wt. (Kg.)	Total Wt. (Kg.)
20	3.00	1.00	10.00	11.00	4.00	5.200	3.500	0.550	4.050
22	3.00	1.00	11.00	12.00	4.50	7.000	4.000	0.650	4.650
24	3.00	1.00	12.00	13.00	5.00	9.300	4.900	0.750	5.650
26	3.00	1.00	13.00	14.00	5.50	12.000	5.900	0.850	6.750
28	3.00	1.00	14.00	15.00	6.00	15.250	7.000	1.000	8.000
30	3.00	2.00	15.00	16.00	6.50	19.000	8.300	2.200	10.500
32	3.00	2.00	16.00	17.00	7.00	23.250	9.600	2.500	12.100
34	3.00	2.00	17.00	18.00	7.50	28.000	11.000	2.800	13.800
36	3.00	2.00	18.00	19.00	8.00	33.500	12.500	3.100	15.600
40	3.00	2.00	20.00	21.00	8.50	44.200	13.300	3.750	17.050
44	3.00	2.00	22.00	23.00	9.00	56.500	16.800	4.500	21.300
48	3.00	2.00	24.00	25.00	10.00	74.500	19.600	5.300	24.900

• Handle weight included

Available in :



Stainless Steel Brazier Pot



King Stainless Steel Brazier Pot is a versatile and multi-purpose part of our stainless steel utensil range. Made from high-quality grade stainless steel, it is designed to withstand high heat and deliver exceptional performance. Its unique and double-purpose design allows it to also function as a fish pot, perfect for making the fish. It ensures compatibility with induction cooktops, even heat distribution for precise cooking, and durability for long-lasting use.

Size	Thickness Pot (mm)	Thickness Lid (mm)	Inner Dia (inches)	Height (inches)	Water Cap. (Liters)	Brazier Pot Wt. (Kg.)	Lid Wt. (Kg.)	Total Wt. (Kg.)
20	3.00	1.00	10.00	4.00	3.500	2.900	0.500	3.400
22	3.00	1.00	11.00	4.00	4.500	3.300	0.600	3.900
24	3.00	1.00	12.00	4.00	5.500	3.800	0.700	4.500
26	3.00	1.00	13.00	4.00	7.000	4.200	0.800	5.000
28	3.00	1.00	14.00	4.25	8.225	4.600	1.000	5.600
30	3.00	2.00	15.00	4.75	10.225	5.100	2.200	7.300
32	3.00	2.00	16.00	4.75	12.500	5.850	2.500	8.350
34	3.00	2.00	17.00	4.75	15.000	6.400	2.800	9.200
36	3.00	2.00	18.00	4.75	18.000	6.900	3.100	10.000
40	3.00	2.00	20.00	5.50	23.500	8.350	3.800	12.150
44	3.00	2.00	22.00	5.50	30.000	9.550	4.500	14.050
48	3.00	2.00	24.00	5.50	37.000	11.250	5.300	16.550
52	3.00	2.00	26.00	6.75	44.000	13.800	6.000	19.800
56	3.00	2.00	28.00	6.75	51.000	14.950	6.700	21.650
60	3.00	2.00	30.00	6.75	58.000	16.200	7.400	23.600

• Handle weight included

Available in :

krome 16+

430 GRADE
MAGNETIC

202

202 GRADE
NON-MAGNETIC

18/8

304 GRADE
LIFE TIME

Stainless Steel Jalebi Thal 3 mm



King Stainless Steel Jalebi Thal is a versatile and multi-purpose part of our stainless steel utensil range. Made from high-quality grade stainless steel, it is designed to withstand high heat and deliver exceptional performance. Its unique and double-purpose design allows it to also function as a jalebi thaal, perfect for making the popular Indian dessert jalebi. It ensures compatibility with induction cooktops, even heat distribution for precise cooking, and durability for long-lasting use.



Jalebi Thal

Size	Thickness Pot (mm)	Thickness Lid (mm)	Inner Dia (inches)	Height (inches)	Water Cap. (Liters)	Jalebi Thal Wt. (Kg.)	Lid Wt. (Kg.)	Total Wt. (Kg.)
20	3.00	1.00	10.00	3.00	3.500	2.700	0.500	3.200
22	3.00	1.00	11.00	3.00	4.500	3.100	0.600	3.700
24	3.00	1.00	12.00	3.00	5.500	3.600	0.700	4.300
26	3.00	1.00	13.00	3.00	7.000	4.000	0.800	4.800
28	3.00	1.00	14.00	3.25	8.225	4.400	1.000	5.400
30	3.00	2.00	15.00	3.25	10.225	4.700	2.200	6.900
32	3.00	2.00	16.00	3.25	12.500	5.450	2.500	7.950
34	3.00	2.00	17.00	3.25	15.000	6.000	2.800	8.800
36	3.00	2.00	18.00	3.25	18.000	6.500	3.100	9.600
40	3.00	2.00	20.00	3.50	23.500	7.600	3.800	11.400
44	3.00	2.00	22.00	3.50	30.000	8.800	4.500	13.300
48	3.00	2.00	24.00	3.50	37.000	10.500	5.300	15.800
52	3.00	2.00	26.00	3.75	44.000	12.100	6.000	18.100
56	3.00	2.00	28.00	3.75	51.000	13.250	6.700	19.950
60	3.00	2.00	30.00	3.75	58.000	14.500	7.400	21.900

Available in :

• Handle weight included



430 GRADE
MAGNETIC



202 GRADE
NON-MAGNETIC



304 GRADE
LIFE TIME

Stainless Steel Lagan



King Stainless Steel Lagan is a versatile addition to our wide range of utensils. Crafted from high-quality stainless steel, this product is perfect for any type of cooking you can bring its way. The nature of the material makes our stainless steel range compatible with induction cooktops.

Size	Inner Dia (inches)	Height (inches)	Water Capacity (Litre)	2 mm Lagan Wt. (Kg.)	3 mm Lagan Wt. (Kg.)	Lid Weight (kgs.)
30	15.00	3.75	11.000	3.800	5.750	1.350
32	16.00	4.00	13.250	4.400	6.500	1.500
34	17.00	4.25	16.000	5.000	7.400	1.650
36	18.00	4.50	19.000	5.600	8.200	1.800
38	19.00	4.75	22.250	6.000	8.700	2.000
40	20.00	5.00	26.000	6.500	9.600	2.200
42	21.00	5.25	30.000	7.000	10.100	2.400
44	22.00	5.50	34.500	7.500	11.000	2.650
46	23.00	5.75	39.500	8.000	12.100	2.900
48	24.00	6.00	45.000	8.800	13.300	3.100
50	25.00	6.25	51.000	9.600	14.500	3.300
52	26.00	6.50	57.000	10.500	15.800	3.600
54	27.00	6.75	64.000	11.400	17.100	3.900
56	28.00	7.00	71.000	12.300	18.500	4.200
58	29.00	7.25	78.000	13.300	20.000	4.400
60	30.00	7.50	87.000	14.300	21.400	4.700
62	31.00	7.75	96.000	15.300	23.000	5.000
64	32.00	8.00	106.000	16.700	25.100	5.300
66	33.00	8.25	116.000	18.250	27.300	5.600
68	34.00	8.50	127.000	19.800	29.600	5.900
70	35.00	8.75	140.000	21.400	32.100	6.200

• Handle weight included

Available in :



430 GRADE
MAGNETIC



202 GRADE
NON-MAGNETIC



304 GRADE
LIFE TIME

Stainless Steel Welded Lagan



King Stainless Steel Welded Lagan is a versatile addition to our wide range of utensils. Crafted from high-quality stainless steel, this product is perfect for any type of cooking you can bring its way. The nature of the material makes our stainless steel range compatible with induction cooktops.

Size	Inner Dia (inches)	Height (inches)	Water Cap. (Liters)	Thickness Lagan(mm)	Thickness Lid (mm)	Lagan Wt. (Kg.)	Lid Wt. (Kg.)	Total Wt. (Kg.)
50	25.00	6.25	50.000	4.00	1.00	21.250	3.500	24.750
52	26.00	6.50	57.000	4.00	1.00	22.750	3.750	26.250
54	27.00	6.75	64.000	4.00	1.00	24.250	4.000	28.250
56	28.00	7.00	71.000	4.00	1.00	26.000	4.250	30.250
58	29.00	7.25	79.000	4.00	1.00	27.500	4.500	32.000
60	30.00	7.50	87.000	4.00	1.00	29.500	4.750	34.250
62	31.00	7.75	96.000	5.00	1.00	37.250	5.000	42.250
64	32.00	8.00	106.000	5.00	1.00	39.250	5.350	44.600
66	33.00	8.25	116.000	5.00	1.00	41.500	5.650	47.150
68	34.00	8.50	127.000	5.00	1.00	43.750	6.000	49.750
70	35.00	8.75	139.000	5.00	1.00	46.000	6.250	54.250
72	36.00	9.00	150.000	5.00	1.00	50.000	6.750	56.750
74	37.00	9.25	165.000	5.00	1.00	52.500	7.250	59.750
76	38.00	9.50	180.000	5.00	1.00	55.000	7.500	62.250
78	39.00	9.75	195.000	5.00	1.00	57.500	7.900	65.400
80	40.00	10.00	210.000	5.00	1.00	60.000	8.250	68.250
84	42.00	10.50	240.000	5.00	1.00	65.000	9.000	74.000
88	44.00	11.00	275.000	5.00	1.00	71.000	9.750	80.750
92	46.00	11.50	310.000	5.00	1.00	77.000	10.500	87.500
96	48.00	12.00	355.000	5.00	1.00	84.000	11.250	95.250
100	50.00	12.50	405.000	5.00	1.00	90.000	12.000	102.000

Available in :

• Handle weight included

430 GRADE
MAGNETIC

202 GRADE
NON-MAGNETIC

304 GRADE
LIFE TIME

Stainless Steel Karahi



KARAHI (Thickness 3.0 mm)

King stainless steel Karahi, a multi-purpose part of our stainless steel utensil range. Made from high quality stainless steel, this product is often used for deep frying, sauteing and stir-frying. Its shape and size make it ideal for cooking curries and other dishes that requires lot of liquid. This product is designed so well that the round bottom allows for even heating, while the high sides prevent ingredients from spilling out.

Size	Thickness (mm)	Outer Dia (inches)	Water Cap. (Liters)	Weight (Kgs.)
10	3.00	10.0	2.250	2.100
11	3.00	11.0	2.750	2.500
12	3.00	12.0	3.750	2.900
13	3.00	13.0	5.250	3.200
14	3.00	14.0	6.500	3.600
15	3.00	15.0	9.000	4.100
16	3.00	16.0	11.500	4.750
18	3.00	18.0	16.500	5.750
20	3.00	20.0	19.500	7.250
22	3.00	22.0	27.500	9.350
24	3.00	24.0	34.500	10.500

• Handle weight included

KARAHI (Thickness 2.0 mm)

Size	Thickness (mm)	Outer Dia (inches)	Water Cap. (Liters)	Weight (Kgs.)
7	2.00	7.0	0.900	0.650
8	2.00	8.0	1.250	0.750
9	2.00	9.0	1.750	0.950
10	2.00	10.0	2.250	1.100
11	2.00	11.0	2.750	1.250
12	2.00	12.0	3.750	1.600
13	2.00	13.0	5.250	1.900
14	2.00	14.0	6.500	2.200

• Handle weight included



Available in :

krome 16+

430 GRADE
MAGNETIC

202

202 GRADE
NON-MAGNETIC

18/8

304 GRADE
LIFE TIME

Stainless Steel Karahi

5 mm
6 mm



Size	Outer Dia (inches)	Water Capacity (Litres)	5 mm Karahi Wt. (Kgs.)	6 mm Karahi Wt. (Kgs.)
16	16.0	11.500	8.000	10.000
18	18.0	16.500	10.000	12.000
20	20.0	19.500	12.000	14.000
22	22.0	27.500	14.000	16.000
24	24.0	34.500	16.000	18.500
26	26.0	55.000	21.000	24.500
28	28.0	60.000	23.750	27.000
30	30.0	65.000	28.000	31.500
32	32.0	90.000	30.250	34.500
34	34.0	110.000	32.750	43.500
36	36.0	125.000	39.750	50.000
38	38.0	140.000	43.250	55.000
40	40.0	190.000	47.250	60.000
42	42.0	220.000	52.250	65.000
44	44.0	250.000	57.250	70.000
46	46.0	280.000	62.250	75.000
48	48.0	310.000	67.250	80.000

• Handle weight included

King stainless steel Karahi, a multi-purpose part of our stainless steel utensil range. Made from high quality stainless steel, this product is often used for deep frying, sauteing and stir-frying. Its shape and size make it ideal for cooking curries and other dishes that requires lot of liquid. This product is designed so well that the round bottom allows for even heating, while the high sides prevent ingredients from spilling out.

Available in :

krome 16+	202	18/8
430 GRADE MAGNETIC	202 GRADE NON-MAGNETIC	304 GRADE LIFE TIME

Stainless Steel Collander — 2 mm



Size	Inner Dia (inches)	Thickness (mm)	Weight (Kgs.)
16	16.0	2.00	4.800
18	18.0	2.00	5.400
20	20.0	2.00	6.300
22	22.0	2.00	8.300
24	24.0	2.00	9.300
26	26.0	2.00	10.600
28	28.0	2.00	12.000
30	30.0	2.00	15.000
32	32.0	2.00	16.250
34	34.0	2.00	17.750
36	36.0	2.00	19.500
40	40.0	2.00	25.500
44	44.0	2.00	28.500

• Handle weight included

Available in :

krome 16+

430 GRADE
MAGNETIC

202

202 GRADE
NON-MAGNETIC

18/8

304 GRADE
LIFE TIME

Stainless Steel Degra



Size	Neck Dia (inches)	Rice Cap. (Kg.)	Water Cap. (Litres)	Degra Wt. (Kg.)	Lid Wt. (Kg.)	Total Wt. (Kg.)
6	6.0	0.750	4.000	4.500	0.450	4.950
7	7.0	1.250	5.000	5.000	0.550	5.550
8	8.0	2.000	10.000	5.500	0.650	6.150
9	9.0	3.000	15.000	6.250	0.750	7.000
10	10.0	4.000	20.000	8.500	1.000	9.500
11	11.0	6.000	25.000	10.500	1.200	11.700
12	12.0	8.000	30.000	12.500	1.400	13.900
13	13.0	10.000	45.000	15.250	1.600	16.850
14	14.0	15.000	60.000	18.250	1.800	20.050
15	15.0	20.000	80.000	28.750	2.000	30.750
16	16.0	25.000	100.000	34.250	2.250	36.500
17	17.0	30.000	120.000	38.750	2.500	41.250
18	18.0	38.000	150.000	43.750	3.000	46.750
20	20.0	55.000	220.000	60.500	3.250	63.750
22	22.0	75.000	300.000	74.500	4.000	78.500
24	24.0	100.000	400.000	89.500	4.250	93.750



Mathaar Finish

• Handle weight extra

Available in :

krome 16+	202	18/8
430 GRADE MAGNETIC	202 GRADE NON-MAGNETIC	304 GRADE LIFE TIME

Stainless Steel Parchi Karahi 5 mm (Milk Karahi)



King stainless steel Parchi Karahi, a unique design of Kadhai added to our stainless steel utensils range. Parchi karahi having griddle in shape that means it is having broad concave surface with very less deep. This product is ideally for cooking stew dishes (a combination of solid food ingredients that have been cooked in liquid and served in the resultant gravy) and also for boiling milk for longer period of time (as shown below). Made from high quality stainless steel, it delivers even heat distribution for precise cooking and durability for long lasting use.

Size	Thickness (mm)	Outer Dia (inches)	Water Cap. (Liters)	Weight (Kgs.)
18	5.00	18.0	5.000	8.250
20	5.00	20.0	7.000	10.000
22	5.00	22.0	8.500	12.000
24	5.00	24.0	14.000	15.000
26	5.00	26.0	17.500	16.500
28	5.00	28.0	19.500	20.000
30	5.00	30.0	27.000	24.000
32	5.00	32.0	36.000	27.000
34	5.00	34.0	42.000	30.000
36	5.00	36.0	48.000	33.000
38	5.00	38.0	54.000	36.000
40	5.00	40.0	60.000	39.000
42	5.00	42.0	65.000	42.000
44	5.00	44.0	70.000	45.000
46	5.00	46.0	75.000	48.000
48	5.00	48.0	80.000	51.000

• Handle weight included



Parchi Karahi (Milk)

Available in :

krome 16+

430 GRADE
MAGNETIC

202

202 GRADE
NON-MAGNETIC

18/8

304 GRADE
LIFE TIME

Stainless Steel Stock Pot (Welded) 3 mm



King.. Stainless Steel Stock Pot, as the name suggest is used for soup, stocks and vegetable stock boiling. Hight quality welding ensure leak proof and rugged performance.

Size	Inner Dia (inches)	Height (inches)	Water Cap. (Liters)	Stock Pot Wt. (Kg.)	Lid Wt. (Kg.)	Total Wt. (Kg.)
12	6.00	6.00	2.750	2.000	0.250	2.250
14	7.00	7.00	4.500	2.500	0.300	2.800
16	8.00	8.00	6.500	3.250	0.400	3.650
18	9.00	9.00	9.500	4.000	0.500	4.500
20	10.00	10.00	13.000	4.750	0.600	5.350
22	11.00	11.00	17.250	5.750	0.700	6.450
24	12.00	12.00	22.500	6.750	0.800	7.550
26	13.00	13.00	28.500	7.750	0.900	8.650
28	14.00	14.00	35.500	8.750	1.050	9.800
30	15.00	15.00	44.000	11.750	1.300	13.050
32	16.00	16.00	53.000	13.250	1.450	14.700
34	17.00	17.00	64.000	14.750	1.600	16.350
36	18.00	18.00	76.000	16.250	1.750	18.000
38	19.00	19.00	89.000	18.000	1.950	19.950
40	20.00	20.00	104.000	19.750	2.100	21.850
42	21.00	21.00	120.000	22.000	2.300	24.300
44	22.00	22.00	138.000	24.000	2.500	26.500
46	23.00	23.00	158.000	26.000	2.700	28.700
48	24.00	24.00	179.000	28.250	2.900	31.150
50	25.00	25.00	203.000	31.000	3.150	34.150

• Handle weight included

Available in :

krome 16+	202	18/8
430 GRADE MAGNETIC	202 GRADE NON-MAGNETIC	304 GRADE LIFE TIME

Stainless Steel Round Tawa 5 mm (Tikki Tawa)



King Stainless Steel Tawa enhanced our stainless steel utensils range to new level. Designed in multiple shapes and made up from high quality grade stainless steel. Stainless steel Tawa's is a great option for non-toxic, long-lasting, durable cookware ideal for shallow fry, stir-frying and sautéing. It is especially good for small-batch baking as it retains heat well and cooks foods evenly.

Size	Thickness (mm)	Outer Dia (inches)	Weight (Kgs.)
16	5.00	16.0	6.600
18	5.00	18.0	8.200
20	5.00	20.0	9.900
22	5.00	22.0	11.750
24	5.00	24.0	13.750
26	5.00	26.0	16.000
28	5.00	28.0	18.400
30	5.00	30.0	21.000
32	5.00	32.0	23.650
34	5.00	34.0	25.750
36	5.00	36.0	28.000
40	5.00	40.0	30.000
44	5.00	44.0	32.000
48	5.00	48.0	34.000

• Handle weight included



Tikki Tawa

Available in :

krome 16+

430 GRADE
MAGNETIC

202

202 GRADE
NON-MAGNETIC

18/8

304 GRADE
LIFE TIME

Stainless Steel Square Tawa 5 mm

Square Shaped Tawa offer wider space as compared to Round Tawa and it is mostly renowned as “**DOSA TAWA**”.

Size	Thickness (mm)	Outer Dia (inches)	Weight (Kgs.)
16x16	5.00	16x16	6.600
18x18	5.00	18x18	8.400
20x20	5.00	20x20	10.400
22x22	5.00	22x22	12.600
24x24	5.00	24x24	15.000

• Handle weight included



Stainless Steel Rectangle Tawa 5 mm

Rectangle Shaped Tawa offer more wider space as compared to square Tawa for cooking and its application is usually same as for **DOSA TAWA**.



Size	Thickness (mm)	Outer Dia (inches)	Weight (Kgs.)
14x18	5.00	14x18	6.500
16x20	5.00	16x20	8.250
18x24	5.00	18x24	11.250

• Handle weight included

Stainless Steel Oval Tawa 5 mm

Oval shaped Tawa is designed to show unique (stylish) shape of Tawa for live cooking at big restaurants.

Size	Thickness (mm)	Outer Dia (inches)	Weight (Kgs.)
14x18	5.00	14x18	6.500
16x20	5.00	16x20	8.250
18x24	5.00	18x24	11.250

• Handle weight included



Available in :

krome 16+	202	18/8
430 GRADE MAGNETIC	202 GRADE NON-MAGNETIC	304 GRADE LIFE TIME

Stainless Steel Omelette Pan — 2 mm



Size	Thickness (mm)	Inner Dia (inches)	Face Dia (inches)	Water Cap. (Liters)	Pan Wt. (Kg.)	Lid Wt. (Kg.)
6	2.0	6.0	6.0	1.000	0.700	0.250
7	2.0	7.0	7.0	1.250	0.850	0.300
8	2.0	8.0	8.0	1.600	1.050	0.400
9	2.0	9.0	9.0	2.000	1.250	0.500
10	2.0	10.0	10.0	2.500	1.500	0.570
11	2.0	11.0	11.0	3.500	1.800	0.670
12	2.0	12.0	12.0	4.500	2.100	0.780
13	2.0	13.0	13.0	5.250	2.400	0.900
14	2.0	14.0	14.0	6.250	2.800	1.000

• Handle weight included

Available in :



430 GRADE
MAGNETIC



202 GRADE
NON-MAGNETIC



304 GRADE
LIFE TIME



TRI-PLY

Stainless Steel Sauce Pan — 2 mm



Size	Thickness (mm)	Inner Dia (inches)	Face Dia (inches)	Height (inches)	Water Cap. (Liters)	Pan Wt. (Kg.)	Lid Wt. (Kg.)
10	2.0	5.0	6.0	3.00	1.000	0.700	0.200
12	2.0	6.0	7.0	3.50	1.750	1.050	0.250
14	2.0	7.0	8.0	4.50	3.000	1.400	0.300
16	2.0	8.0	9.0	5.00	4.250	1.850	0.400
18	2.0	9.0	10.0	5.50	5.750	2.400	0.500
20	2.0	10.0	11.0	6.00	8.000	3.000	0.570
22	2.0	11.0	12.0	6.50	10.250	3.500	0.670
24	2.0	12.0	13.0	7.00	13.000	4.000	0.780

• Handle weight included

Available in :



430 GRADE
MAGNETIC



202 GRADE
NON-MAGNETIC



304 GRADE
LIFE TIME



TRI-PLY

Stainless Steel Sauce Pot — 2 mm



Size	Thickness (mm)	Inner Dia (inches)	Face Dia (inches)	Height (inches)	Water Cap. (Liters)	Pan Wt. (Kg.)	Lid Wt. (Kg.)
10	2.0	5.0	5.0	3.00	1.000	0.700	0.150
12	2.0	6.0	6.0	3.50	1.750	1.050	0.200
14	2.0	7.0	7.0	4.50	3.000	1.400	0.250
16	2.0	8.0	8.0	5.00	4.250	1.850	0.300
18	2.0	9.0	9.0	5.50	5.750	2.400	0.400
20	2.0	10.0	10.0	6.00	8.000	3.000	0.500
22	2.0	11.0	11.0	6.50	10.250	3.500	0.570
24	2.0	12.0	12.0	7.00	13.000	4.000	0.670

• Handle weight included

Available in :



430 GRADE
MAGNETIC



202 GRADE
NON-MAGNETIC



304 GRADE
LIFE TIME



TRI-PLY

Stainless Steel Frypan — 2 mm



Size	Thickness (mm)	Inner Dia (inches)	Face Dia (inches)	Water Cap. (Liters)	Pan Wt. (Kg.)	Lid Wt. (Kg.)
6	2.0	6.0	7.0	1.000	0.700	0.250
7	2.0	7.0	8.0	1.250	0.850	0.300
8	2.0	8.0	9.0	1.600	1.050	0.400
9	2.0	9.0	10.0	2.000	1.250	0.500
10	2.0	10.0	11.0	2.500	1.500	0.570
11	2.0	11.0	12.0	3.500	1.800	0.670
12	2.0	12.0	13.0	4.500	2.100	0.780
13	2.0	13.0	14.0	5.250	2.400	0.900
14	2.0	14.0	15.0	6.250	2.800	1.000

• Handle weight included

Available in :



430 GRADE
MAGNETIC



202 GRADE
NON-MAGNETIC



304 GRADE
LIFE TIME



TRI-PLY

Stainless Steel Welded Trays



1" Deep

Size	Thickness (mm)	1" Deep Wt. (Kg)	2" Deep Wt. (Kg)
9x12	.00	0 6 0	0.850
10x14	.0	0 8 0	1.100
12x15	1.00	0 9 0	1.300
		1 1 00	1.400
2		1 5 00	1.800



2" Deep

Stainless Steel Box Trays



Size	Outer (i		T	W g g
9x12	9¼x1 ¼		0	1.45
10x14	10¼x 4¼ 2			1.900
12x15	12¼x 5			2 200
12x18	12¼x 2		.0	2 500
14x20	14¼x20¼x2¼		1.00	3.300

Available in :

krome 16+

430 GRADE
MAGNETIC

202

202 GRADE
NON-MAGNETIC

18 | 8
KROME | NICKLE

304 GRADE
LIFE TIME

Stainless Steel Welded Tope

3 mm
4 mm
5 mm



Available in :

**krome
16+**

430 GRADE
MAGNETIC

202

202 GRADE
NON-MAGNETIC

18 | 8

18% KROME | 8% NICKLE
304 GRADE
LIFE TIME

King Stainless Steel Welded Tope is a testament to our legacy of expertise in kitchenware. Made from premium grade stainless steel, our pots boast excellent durability, corrosion resistance, and heat retention properties. Perfect for all your cooking needs. Customer may also customized the welded tope as per their requirement as per their mega kitchen structure.

Size	Inner Dia (inches)	Height (Inches)	Water Cap. (Liters)	3 mm Tope Wt. (Kg.)	4 mm Tope Wt. (Kg.)	5 mm Tope Wt. (Kg.)	Lid Wt. (Kg.)
30	15.00	8.50	24.000	9.000	12.350	13.750	1.350
32	16.00	9.00	30.000	10.000	13.750	15.250	1.500
34	17.00	9.50	36.000	11.000	15.250	16.750	1.650
36	18.00	10.00	42.000	12.000	16.750	18.500	1.900
38	19.00	10.50	49.000	13.750	19.000	21.000	2.100
40	20.00	11.00	57.000	15.000	20.500	22.750	2.200
42	21.00	11.50	66.000	16.250	22.500	24.750	2.400
44	22.00	12.00	75.000	17.500	24.250	26.750	2.700
46	23.00	12.50	85.000	19.000	26.250	29.000	2.900
48	24.00	13.00	97.000	20.250	28.250	31.250	3.100
50	25.00	13.50	110.000	21.750	30.500	33.500	3.400
52	26.00	14.00	123.000	23.250	32.500	36.000	3.700
54	27.00	14.50	137.000	25.000	35.000	38.500	4.000
56	28.00	15.00	152.000	26.500	37.250	41.000	4.250
58	29.00	15.50	170.000	28.250	39.500	43.750	4.500
60	30.00	16.00	187.000	30.000	42.250	46.500	4.750
62	31.00	16.50	206.000	33.250	46.250	51.000	5.100
64	32.00	17.00	226.000	35.250	49.000	54.000	5.400
66	33.00	17.50	247.000	37.250	51.750	57.000	5.700
68	34.00	18.00	270.000	39.250	54.500	60.000	6.000
70	35.00	18.50	295.000	41.250	57.500	63.250	6.300
72	36.00	19.00	320.000	44.250	61.750	68.250	6.750
74	37.00	19.50	345.000	46.250	64.750	72.000	7.100
76	38.00	20.00	375.000	48.750	68.000	75.250	7.500
78	39.00	20.50	405.000	51.250	71.250	78.750	7.850
80	40.00	21.00	435.000	53.250	74.750	82.500	8.250
84	42.00	22.00	500.000	58.250	81.500	90.250	8.900
88	44.00	23.00	575.000	63.250	89.000	98.250	9.600
92	46.00	24.00	650.000	68.500	96.500	106.500	10.500
96	48.00	25.00	750.000	74.250	104.500	115.250	11.250
100	50.00	26.00	850.000	80.000	112.500	124.500	12.000

• Handle weight included

Available in :



Stainless Steel Welded Kolgam 4 mm 5 mm

The addition of *King* Stainless Steel Welded Kolgam in our product range shows how determine we are for our customer needs. Made from high quality stainless steel, it delivers even heat distribution for precise cooking and durability for long lasting use, hence Stainless Steel Welded Kolgam is ideal for boiling of betel nuts (Supari) for long duration of time. It may also be used for boiling other things in a huge quantity at a single time.



Available in :

**krome
16+**

430 GRADE
MAGNETIC

202

202 GRADE
NON-MAGNETIC

18 | 8

18% KROME | 8% NICKLE
304 GRADE
LIFE TIME



**Kolgam
Flat
Bottom**



**Kolgam
Round
Bottom**

Size	Inner Dia (inches)	Height (inches)	Water Cap. (Liters)	Kolgam Thick.(mm)	Lid Thick.(mm)	Kolgam Wt. (Kg.)	Lid Wt. (Kg.)	Total Wt. (Kg.)
38	19.00	19.00	89.000	4.00	1.00	26.750	2.100	28.850
40	20.00	20.00	104.000	4.00	1.00	29.250	2.250	31.500
42	21.00	21.00	120.000	4.00	1.00	32.000	2.500	34.500
44	22.00	22.00	138.000	4.00	1.00	35.000	2.750	37.750
46	23.00	23.00	158.000	4.00	1.00	38.000	3.000	41.000
48	24.00	24.00	179.000	4.00	1.00	41.000	3.250	44.250
50	25.00	25.00	203.000	4.00	1.00	44.250	3.500	47.750
52	26.00	26.00	228.000	5.00	1.00	51.000	3.750	54.750
54	27.00	27.00	255.000	5.00	1.00	54.750	4.000	58.750
56	28.00	28.00	285.000	5.00	1.00	58.500	4.250	62.750
58	29.00	29.00	315.000	5.00	1.00	62.750	4.500	67.250
60	30.00	30.00	350.000	5.00	1.00	66.750	4.750	71.500
62	31.00	31.00	385.000	5.00	1.00	72.500	5.000	77.500
64	32.00	32.00	425.000	5.00	1.00	77.000	5.350	82.350
66	33.00	33.00	465.000	5.00	1.00	81.500	5.650	87.150
68	34.00	34.00	510.000	5.00	1.00	86.500	6.000	92.500
70	35.00	35.00	555.000	5.00	1.00	91.250	6.250	97.500
72	36.00	36.00	600.000	5.00	1.00	97.750	6.750	104.500
74	37.00	37.00	650.000	5.00	1.00	103.250	7.250	111.000
76	38.00	38.00	710.000	5.00	1.00	108.250	7.500	115.500
78	39.00	39.00	770.000	5.00	1.00	113.250	7.900	121.150
80	40.00	40.00	830.000	5.00	1.00	119.250	8.250	127.500
84	42.00	42.00	960.000	5.00	1.00	130.750	9.000	139.750
88	44.00	44.00	1100.000	5.00	1.00	142.750	9.750	152.500
92	46.00	46.00	1260.000	5.00	1.00	155.500	10.500	166.000
96	48.00	48.00	1430.000	5.00	1.00	168.500	11.250	179.750
100	50.00	50.00	1625.000	5.00	1.00	182.500	12.250	194.750

• Handle weight included

Stainless Steel Momo Steamer



Size	(inch)	Capacity (kg)	Weight (g)	
			t	4 t
8				00
10	10.0	14.000	1.300	1.600
12	12.0	22.000	1.850	2.250
14	14.0	35.000	2.200	2.800
16	16.0	42.000	3.000	3.700
18	18.0	50.000	3.650	4.600

Available in :

krome 16+

430 GRADE
MAGNETIC

202

202 GRADE
NON-MAGNETIC

18/8

304 GRADE
LIFE TIME

Stainless Steel Masala Dani



Size	Outer (inches)	T (mm)	W g (kgs.)
6x1	13¼x9¼x4¼	1.00	4.500
9x1	13¼x13¼x4¼	1.00	6.000
12x1	13¼x17¼x4¼	1.00	8.500

Available in :

krome
16+

430 GRADE
MAGNETIC

202

202 GRADE
NON-MAGNETIC

18 | 8
KROME | NICKLE

304 GRADE
LIFE TIME